

Systemic Infections in Dogs and Cats



Assoc. Prof. Ekrem Çağatay ÇOLAKOĞLU
Ankara University Faculty of Veterinary Medicine
Small Animal Hospital
Department of Internal Medicine, Cardiology Unit

colakoglu@ankara.edu.tr

http://cv.ankara.edu.tr/colakoglu@ankara.edu.tr°er=1

www.veterinary.ankara.edu.tr



Goals of 5 weeks

- First 2 weeks
 - Heart disease
 - Respiratory tract
- Following 2 weeks
 - Hematological disease
 - *Systemic infections*
- Last week
 - Other remarkable notes



SIXTH EDITION

Small Animal Internal Medicine



RICHARD W. NELSON C. GUILLERMO COUTO

Kristen M. Couto
Eleanor C. Hawkins
Susan M. Taylor
Jodi L. Westropp

Autumn P. Davidson
Michael R. Lappin
Jessica L. Ward
Michael D. Willard

Ann-Marie Della Maggiore
Jennifer A. Larsen
Wendy A. Ware
Andrew Woolcock


Stephen P. DiBartola
J. Catharine R. Scott-Moncrieff
Penny J. Watson

ELSEVIER



Distemper Virus Infection

- Mononegavirales
 - Paramyxoviridae
 - Paramyxovirinae
 - Morbillivirus
 - Canine distemper virus
- Aerogen transmission
- Measles




Clinical Signs



Clinical Signs



Diagnosis of the CDV



Nonspecific blood analyses




Treatment of the CDV

- If respiratory signs only or respiratory and gastrointestinal signs
 - Possible to treat, not exactly
 - Supportive care
- If neurological signs (tremor etc) present
 - No treatment possible
- Vaccination



Feline Infectious Peritonitis (FIP)

- Coronavirus
- Not clear of transmission among cats



Clinical Signs



FIP cat



Clinical Signs



Diagnosis of the FIP

- S1-S6
- Total Protein/Albumin Ratio





Treatment of FIP

- Effusive not possible
 - Euthanasia
- Non-effusive
 - Uveitis
 - Steroids
- No vaccination



Parvoviral Enteritis-Panleucopenia

- Parvovirus
- Fecal-oral transmission among dogs and cats
- Resistant to environmental changes





Clinical Signs





Vet.Path.Utrecht






Clinical Signs



Clinical Signs



Diagnosis of the Parvovirus





T.C.
ANKARA ÜNİVERSİTESİ
VETERİNER FAKÜLTESİ HAYVAN HASTANESİ
LABORATUVAR ANALİZ RAPORU



Gönderen Kurum : Hastanın ; Sahibi :
Örnek Tipi : Türü :
Örneğin Alındığı Tarih : Adı :
Örnek Kayıt Tarihi : 20.08.2020 08:36:11 Yaşı :
Kayıt Numarası : 129858 Irkı : Haski
Analiz Başlama ve Bitiş Tarihi : 20.08.2020 - 20.08.2020 Cinsiyet : Dişi
Rapor Tarihi : 20.11.2020 14:59:19 Rengi :
Mikroçip No :

Sonuçlar

Analiz Bilgisi:

Analiz Adı	Lab. Değeri	Sonuç	Birim	Referans Aralık	Yöntem
------------	-------------	-------	-------	-----------------	--------

MTL Hematolojik Analizler

WBC	5,50	L	10 9/l	6,00 - 17,00	
LYM	0,50	L	10 9/l	0,90 - 5,00	
MONO	0,20	N	10 9/l	0,20 - 1,50	
NEUT	4,70	N	10 9/l	3,50 - 12,00	
EOS	0,10	N	10 9/l	0,10 - 2,50	
LYM%	9,40	L	%	12,00 - 30,00	
MONO%	3,20	N	%	2,00 - 13,00	
NEUT%	84,70	H	%	35,00 - 70,00	
EOS%	2,70	N	%	0,10 - 4,00	
RBC	7,63	N	10 12/l	5,50 - 8,50	
HGB	16,10	N	g/dL	12,00 - 18,00	
HCT	45,70	N	%	37,00 - 55,00	
MCV	59,90	L	fl	60,00 - 72,00	



Treatment of Parvovirus Infection

- Fluid therapy
 - Ringer solutions
 - Isotonic %0.9 solutions
 - Aminoacid solutions
- IV antibiotics
 - Ampisilin 25mg/kg x BID
- Blood transfusion
- Vitamins
- Antiemetics IV
 - Metoclopromid 0.5 mg/kg



Systemic Infections in Dogs and Cats



Ekrem Çağatay ÇOLAKOĞLU



ekrem.colakoglu



colakoglu@ankara.edu.tr



<http://cv.ankara.edu.tr/colakoglu@ankara.edu.tr°er=1>

