

KANATLI HAYVAN YETİŐTİRME

II

5. HAFTA

Kaz Irkları ve Verim Yönleri

Kingdom (Alem)	Animalia (Hayvanlar)							
Subkingdom (Alt alem)	Metazoa (Çok hücreli hayvanlar)							
Phylum (Şube)	Chordata							
Subphylum (Alt şube)	Vertebrata (Omurgalılar)							
Class (Sınıf)	A v e s (Kuşlar)							
Ordo (Takım)	Anseriformes (Ördekler, Kazlar ve Kuğular)				Galliformes (Tavuk ve benzerleri)			
Family (Aile)	Anatidae (Ördekler ve Kazlar)				Phasianidae (Sülüngiller)			
Genus (Cins)	Anas	Cairina	Anser	Gallus	Meleagris	Numida	Coturnix	
Species (Tür)	<i>Platyrrhynchos</i> (Evcil ördek)	<i>Moschata</i> (muskovy)	<i>Anser</i> (Kaz)	<i>Gallus</i> (Evcil tavuk)	<i>Gallopavo</i> (Hindi)	<i>Meleagris</i> (Beç tavuğu)	<i>Japonica</i> (Bildircin)	

Kaz Irkları

Toulouse

Emden (Embden)

Çin

Roman (Germen)

Afrika

Kaz Irkları

Sebastopol

Kanada

Pilgrim

Mısır

AXES OF SELECTION



Live weight



Feed conversion ratio



Carcass yield


Ticari Hibritler



MG 70



FG 70



G 35



Slaughtering at **63 days**



4,6 Kg



3,4



64 %

Slaughtering at **115 days**



5,8 Kg



4,5




66 %



MG 71



FG 70



G 35
Heavy



Slaughtering at **63 days**



5,3 Kg



3,3



63,5 %

Slaughtering at **115 days (extensive)**



6,5 Kg



4,4



65 %

AXES OF SELECTION



Live weight at start of force-feeding



Feed consumption / Feed conversion ratio



Duration of force-feeding



Number of meals per day of force-feeding



Quantity of corn consumed



Age & live weight at slaughter




Liver weight



Fillet weight



Ticari Hibritler



Age at start of force-feeding: **63 days**

Age at start of force-feeding: **77 days**



4,6 Kg



14 Kg / 3,05



16-19 days



4 meals



5,2 Kg



17 Kg / 3,25



13 days



3 or 4 meals



13 Kg



7 Kg at 80 days



650 - 700 g



700 g



11 Kg



7,5 Kg at 90 days



770 g



810 g