




Model Tanımlamak


Öğr.Gör.Erkan HÜRNALI

MVC'yi Hatırlayalım

Tasarım Kalıbı



Mimari Desen



Programlama Modeli


Model Kurmak

MVC




Model Kurmak

▲ Models
▶ C# Musteri.cs




```
0 references  
public class Musteri  
{  
    0 references  
    public int Id { get; set; }  
    0 references  
    public string Adi { get; set; }  
    0 references  
    public string Soyadi { get; set; }  
    0 references  
    public string Adres { get; set; }  
}
```

Model Kurmak



The screenshot shows the 'Add Controller' dialog box with the following configuration:

- Controller name: MusteriController
- Scaffolding options:
 - Template: Empty MVC controller
 - Model class: (empty)
 - Data context class: (empty)
 - Views: None
- Buttons: Add, Cancel




```
0 references
public class MusteriController : Controller
{
    //
    // GET: /Musteri/




    0 references
    public ActionResult Index()
    {
        return View();
    }
}
```

Model Kurmak

```
public ActionResult Index()  
{  
    return View();  
}
```



```
public ActionResult Detay()  
{  
    Musteri musteri = new Musteri()  
    {  
        Id=1,  
        Adi="Ahmet",  
        Soyadi="Çokçalır",  
        Adres="Cumhuriyet Cd."  
    };  
    return View(musteri);  
}
```

-  Add View...
-  Go To View
-  Locate In Solution Explorer
- Refactor
- Organize Usings
- Generate Sequence Diagram...

Model Kurmak

Add View

View name:
Detay

View engine:
Razor (CSHTML)

Create a strongly-typed view

Model class:
Musteri (MVCgiris.Models)


Scaffold template:
Empty Reference script libraries

Create as a partial view

Use a layout or master page:
...
(Leave empty if it is set in a Razor _viewstart file)

ContentPlaceHolder ID:
MainContent

Add Cancel



```
Detay.cshtml  X MusteriController.cs
@model MVCgiris.Models.Musteri

@{
    ViewBag.Title = "Detay";
}


<h2>Detay</h2>
```

Model Kurmak

```
Detay.cshtml* - X MusteriController.cs HomeController.cs
@model MVCgiris.Models.Musteri

@{
    ViewBag.Title = "Detay";
}

<h2>Müşteri Detayı</h2>
<table style="font-family:Arial; font-size:small">
    <tr>
        <td><b>ID</b></td>
        <td>@Model.Id</td>
    </tr>
    <tr>
        <td><b>Adı</b></td>
        <td>@Model.Adı</td>
    </tr>
    <tr>
        <td><b>Soyadı</b></td>
        <td>@Model.Soyadı</td>
    </tr>
    <tr>
        <td><b>Adresi</b></td>
        <td>@Model.Adres</td>
    </tr>
</table>
```



localhost:2757/Must... x

localhost:2757/Musteri/detay

Uygulamalar bulut mail bankalar ga

Müşteri Detayı

ID	1
Adı	Ahmet
Soyadı	Çokçalışır
Adresi	Cumhuriyet Cd.

Model Kurmak

0 references

```
public ActionResult Detay(int id)
{
    MusteriDataClassesDataContext mdc = new MusteriDataClassesDataContext();
    tMusteri m = mdc.tMusteris.Single(x => x.Id == id);
    return View(m);
}
```

0 references

```
public ActionResult Tumu()
{
    ViewBag.TumMusteriler = (new MusteriDataClassesDataContext()).tMusteris;
    return View();
}
```

Model Kurmak


```
@{  
    ViewBag.Title = "Tumu";  
}
```

```
<h2>Tumu</h2>
```

```
= <ul>  
  @foreach (var item in ViewBag.TumMusteriler)  
  {  
    <li><a href="~/Musteri/detay/@item.Id">@item.Adi</a> </li>  
  }  
</ul>
```

Havada Kalmasin 😊

@model



Teşekkürler...



*bize
katlandığınız
için!*
