

Muhittin Görmüş Ankara University

SUBJECTS

- 1. ULAKBİM
- 2. Journal rules, article example
- 3. Ethic Rules

1. ULAKBİM







1 2 3 4 5 6 7 Tümü

ÜAK Doçentlik Başvurusu İçin Kabul Uluslararası Bilimsel Yayınları Teşvik Programı (UBYT)

ULAKBİM Üye Giriş					
Kullanıcı Adı:					
Şifre:					















İletişim Kurumsal Hizmetler Projeler Etkinlikler Ağ Teknolojileri Birimi (ATB) Cahit Arf Bilgi Merkezi Eğitim Teknolojileri (CABIM) Hizmetleri (ETB) Ağ İstatistikleri **EKUAL** Özel Eğitim Projeleri Eduroam TR Dergileri Dizini Fatih e-İçerik **ULAK6NET** DergiPark Müfredat ve Ders İçerikleri UUYS UBYT Pardus Bibliyometrik Analiz Belge Sağlama

1 2 3 4 5 6 7 Tümü

ÜAK Doçentlik Başvurusu İçin Kabul Uluslararası Bilimsel Yayınları Teşvik Programı Edilen (UBYT) ULAKBİM Üye Giriş

Kullanıcı Adı:



Kayıt Ol G

Anasayfa	Hakkında	Kriterler	Dergi Listesi	Toplantılar	Rehber	SSS	İletişim
y							314

TR Dizin Dergi Listesi

ÜAK Doçentlik başvurularında yer alan "Ulusal Hakemli Dergi" tanımında yer alan ULAKBİM TR Dizin dergi listesidir.

Listeden yapılan aramalarda, derginin TR Dizin'de yer aldığı yıl bilgileri ile birlikte veri tabanı ve konu alanları listelenmektedir.

2018 ve 2019 yılı dergi listeleri güncellenmeye devam etmektedir.

- Dergiler, her yıla ait ilk sayısının TR Dizin'e iletilmesi sonrasında derginin geçmişi ile sürecine bağlı olarak değerlendirme sonucunda listeye eklenmektedir. Bu kapsamda 2019 yılı listesinde az sayıda dergi yer almaktadır.
- → Başvuru tarihlerine bağlı olarak 2018 yılı değerlendirme süreci devam eden dergilerin durumlarına bağlı olarak 2018 yılı listesi de güncellenmektedir.

Dergi Adı			Q
ISSN / E-ISSN	1		
1234 - 1234			
Yıl Aralığı			
1963 -		2019	

Toplam Dergi: 1342	Konu Alanı Göster 💻			
Dergi Adı =	ISSN	e-ISSN	Yıl	Konu Alanı
		2019	Sosyal	
			2018	Sosyal
			2017	Sosyal
			2016	Sosyal
			2015	Sosyal
			2014	Sosyal









Ana Sayfa

DergiPark Türkiye'de En Çok Ziyaret Edilen Siteler Arasında

Haber Arşivi

A+ A-

TÜBİTAK ULAKBİM çatısı altında hizmet veren DergiPark'ın günlük ziyaretçi sayısı 80 bini aştı. Ayda görüntülenen makale sayısının 2 milyondan fazla olduğu DergiPark'ın Google gibi arama motorlarında ilk sıralarda gelmesi, dünyanın birçok bölgesinden ziyaret edilme sıklığını artırıyor. Ülke ve dillere göre en çok ziyaret edilen sitelerin takip edildiği platformlarda DergiPark; Türkiye'de haber ve alışveriş sitelerinin de aralarında bulunduğu ilk 150 site içerisinde yer alıyor.

TÜBİTAK Türkiye Adresli Uluslararası Bilimsel Yayınları Teşvik (UBYT) Programının Değerlendirilmesi

Yaşar Tonta Hacettepe Üniversitesi

TÜBİTAK ULAKBİM

Ankara

Yaşar Tonta, TÜBİTAK Türkiye Adresli Uluslararası Bilimsel Yayınları Teşvik (UBYT) Programının Değerlendirilmesi.

ISBN 978-605-312-077-3

© 2017, Yaşar Tonta

Bu çalışma Creative Commons Atıf-Gayriticari 4.0 (CC BY-SA) Uluslararası Lisansı ile lisanslandırılmıştır. Lisansın ayrıntıları için bkz. https://creativecommons.org/licenses/by-nc/4.0/deed.tr

Elektronik kitap olarak indirme adresi: http://yunus.hacettepe.edu.tr/~tonta/

Yaşar Tonta

Hacettepe Üniversitesi Edebiyat Fakültesi Bilgi ve Belge Yönetimi Bölümü 06800 Beytepe, Ankara

Tel: 90 312 297 82 00 Faks: 90 312 299 20 14

Web: http://yunus.hacettepe.edu.tr/~tonta/

E-posta: yasartonta@gmail.com

Twitter: @yasartonta

Yayıncı: TÜBİTAK ULAKBİM

Bilim, Sanayi ve Teknoloji Bakanlığı eski binası

Mustafa Kemal Mahallesi

Dumlupınar Bulvarı 2151. Cadde No: 154

06510 Çankaya ANKARA T +90 312 298 9302 F +90 312 266 5181 http://www.ulakbim.gov.tr

Tonta, Yaşar

TÜBİTAK Türkiye Adresli Uluslararası Bilimsel Yayınları Teşvik (UBYT) Programının Değerlendirilmesi / Yaşar Tonta. Ankara: TÜBİTAK ULAKBİM, 2017.

XXVIII, 158s.

Kaynakça: 137-147; ekler: 149-157.

ISBN: 978-605-312-077-3

Araştırma – Değerlendirme
 Bilim göstergeleri – Türkiye
 Bibliyometri
 Baslık

Q180.55 E9 T616 2017

001.4

İÇİNDEKİLER

İÇİNDEKİLER (devamla)

			S. no
	S. no	4.3.1 Fen Bilimleri (1997-2012)	51
TABLOLAR LİSTESİ	vii	4.3.2 Sosyal Bilimler (2006-2012)	56
ŞEKİLLER LİSTESİ	ix	4.3.3 Fen Bilimleri ve Sosyal Bilimler Karşılaştırması	
TAKDİM	хi	(2006-2012)	59
ÖNSÖZ		4.4 Dergi Etki Faktörü ve Ortalama Atıf Yarı Yaşamı ile Makale Etki	
	xiii 	Puanına Göre Makalelere Destek Verilen Döneme İlişkin Analiz	
YÖNETİCİ ÖZETİ	xvii	(2013-2015)	61
SUMMARY	xxiii	4.5 1997-2012 Dönemiyle 2013-2015 Döneminin Karşılaştırılması	66
1. BÖLÜM: GİRİŞ	1	5. BÖLÜM: TÜBİTAK UBYT PROGRAMI DESTEK ALGORİTMASININ	
1.1 Giriş	1	İŞLEYİŞİYLE İLGİLİ BULGULAR	71
1.2 Amaç	2	5.1 Destek Algoritmasının İşleyişi	71
1.3 Düzen	2	5.1.1 Biyokimya ve Moleküler Biyoloji	83
2. BÖLÜM: VERİ KAYNAKLARI VE YÖNTEM	5	5.1.2 Nanobilim ve Nanoteknoloji	86
		5.1.3 Genel ve Dahili Tıp	88
2.1 Web of Science (WoS) Verileri	5	5.1.4 Ekonomi	90
2.2 ULAKBİM UBYT Programı Ödeme Verileri	5	5.1.5 Antropoloji	92
2.3 Veri Analizi ve Yöntem	6	5.1.6 Bilgibilim ve Kütüphanecilik	93
3. BÖLÜM: LİTERATÜR DEĞERLENDİRMESİ	7	5.1.7 Nature Index Dergileri	95
3.1 Performansa Dayalı Araştırma Fonlama Sistemleri	7	5.2 Destek Algoritmasının İşleyişiyle İlgili Değerlendirme	97
3.2 Dergi Etki Faktörü	8	6. BÖLÜM: TÜRKİYE'DE YAYIMLANAN VE WEB OF SCIENCE'TA	
3.3 İlgili Çalışmalar	11	DİZİNLENEN DERGİLERE VERİLEN TÜBİTAK UBYT PROGRAMI	
3.4 Türkiye'de Durum	15	DESTEĞİYLE İLGİLİ BULGULAR	101
3.4.1 Türkiye'nin Uluslararası Bilimsel Yayın Sayısının Gelişimi	15	6.1 Türkiye'de Yayımlanan ve TÜBİTAK UBYT Programı Desteği	
3.4.2 TÜBİTAK UBYT Programı Yayın Desteği (1993-2015)	21	Verilen Dergiler: 1997-2005 Dönemi	102
3.4.3 Akademik Teşvik Ödeneği	26	6.2 Türkiye'de Yayımlanan ve TÜBİTAK UBYT Programı Desteği	
3.5 Performansa Dayalı Araştırma Fonlama ve Yayın Destek		Verilen Dergiler: 2006-2015 Dönemi	103
Programlarının Etkileri	27	6.3 Temel Konularına Göre Türkiye'de Yayımlanan Dergilere Verilen	
4. BÖLÜM: TÜBİTAK UBYT PROGRAMI ÖDEMELERİYLE VE		TÜBİTAK UBYT Programı Desteği (2006-2015)	105
DESTEKLENEN DERGİLERLE İLGİLİ BULGULAR	31	6.4 Türkiye'de Yayımlanan Dergilere Dergi Bazında Verilen TÜBİTAK	
4.1 Türkiye'nin Bilimsel Yayın Sayıları (1976-2015)	31	UBYT Programı Desteği (2006-2015)	109
4.2 ULAKBİM UBYT Programı Ödeme Verileri (1997-2015)	33	6.5 Türkiye'de Yayımlanan Dergilere Verilen TÜBİTAK UBYT Programı	1
4.3 Dergilerin Etki Faktörüne Göre Sınıflandırıldığı Döneme İlişkin		Desteğiyle İlgili Değerlendirme	113
Analiz (1997-2012)	50		

İÇİNDEKİLER (devamla)

	S. no
7. BÖLÜM: TÜBİTAK UBYT PROGRAMININ TÜRKİYE ADRESLİ MAKALE SAYISININ ARTIŞINA ETKİSİ	117
7.1 Web of Science Türkiye Adresli Makale Sayılarıyla TÜBİTAK	
UBYT Programinca Desteklenen Makale Sayılarının	447
Karşılaştırılması	117
7.2 Müdahale Analizi ve İstatistiksel Testler	119
7.3 Genel Değerlendirme ve Yorum	126
8. BÖLÜM: SONUÇ VE ÖNERİLER	133
8.1 Sonuç	133
8.2 Öneriler	134
KAYNAKÇA	137
EK 1. NATURE INDEX DERGİLERİ	149
EK 2. TÜRKİYE'DE YAYIMLANAN VE WEB OF SCIENCE'TA	
DİZİNLENEN DERGİLERE VERİLEN DESTEK MİKTARLARI	
(2006-2015)	151
EK 3. MÜDAHALE ANALİZİ İÇİN HAZIRLANAN ZAMAN DİZİSİ	
VFRİLERİ (1976-2015)	157






SEDIMENTARY GEOLOGY

An International Journal of Pure and Applied Sedimentology

AUTHOR INFORMATION PACK

TABLE OF CONTENTS

•	Description	p.1
•	Audience	p.1
•	Impact Factor	p.1
•	Abstracting and Indexing	p.2
•	Editorial Board	p.2
•	Guide for Authors	p.3



ISSN: 0037-0738

DESCRIPTION

Sedimentary Geology is a journal that rapidly publishes high quality, original research and review papers that cover all aspects of sediments and sedimentary rocks at all spatial and temporal scales. Submitted papers must make a significant contribution to the field of study and must place the research in a broad context, so that it is of interest to the diverse, international readership of the journal. Papers that are largely descriptive in nature, of limited scope or local geographical significance, or based on limited data will not be considered for publication.

AUDIENCE

Sedimentologists.

IMPACT FACTOR

2018: 3.244 © Clarivate Analytics Journal Citation Reports 2019

ABSTRACTING AND INDEXING

Chemical Abstracts

AGI's Bibliography and Index of Geology

Bulletin Signalétique

Current Contents

Engineering Village - GEOBASE

Pascal Francis

Petroleum Abstracts

AESIS

Scopus

GeoRef

Arctic & Antarctic Regions (AAR)

EBSCOhost

Compendex

OCLC Contents Alert

Personal Alert

ProQuest

Science Citation Index Expanded

Web of Science

Referativnyi Zhurnal VINTI-RAN (Russian Academy of Sciences)

INSPEC

EDITORIAL BOARD

Editors-in-Chief

Catherine Chagué, National Institute of Water and Atmospheric Research Christchurch Office, Christchurch, New Zealand & University of New South Wales (UNSW), Sydney, Australia

Sedimentary evidence of geohazards. Sediment geochemistry. Radiometric dating of sediments, especially dating techniques for recent sediments

Brian Jones, University of Alberta, Edmonton, Alberta, Canada

Carbonate sedimentology. Diagenesis of carbonate sediments and rocks with particular emphasis on microscale processes. Analysis of spring deposits.

Jasper Knight, University of the Witwatersrand, Johannesburg, South Africa

Glacigenic and cold-climate landforms and sediments. Quaternary environmental change. Coastal processes and geomorphology. Climate change and sedimentary systems.

Advisory Board

Carita Augustsson, University of Stavanger, Stavanger, Norway

Giorgio Basilici, State University of Campinas, Campinas, São Paulo, Brazil

Abhijit Basu, Indiana University Bloomington, Bloomington, Indiana, United States

Luis Buatois, University of Saskatchewan, Saskatoon, Saskatchewan, Canada SungKwun Chough, Seoul National University, Seoul, Korea, Republic of

Hilary Corlett, MacEwan University, Edmonton, Alberta, Canada

Michał Gradziński, Jagiellonian University in Krakow, Krakow, Poland

Cathy Hollis. The University of Manchester, Manchester, United Kingdom

Akihiro Kano, The University of Tokyo, Tokyo, Japan

Sándor Kele, Hungarian Academy of Sciences, Budapest, Hungary

Massimo Moretti, University of Bari, Bari, Italy

Toni Simo, ExxonMobil Upstream Research Co Spring TX, Spring, Texas, United States

Ashleigh van Smeerdijk Hood, The University of Melbourne, Parkville, Victoria, Australia

Witold Szczuciński, Adam Mickiewicz University, Poznan, Poland

INTRODUCTION

All authors must read the Editorial in vol 241 issues 1-4, which provides advice on how to prepare manuscripts for the journal.

Sedimentary Geology is a journal that rapidly publishes high quality, original research and review papers that cover all aspects of sediments and sedimentary rocks at all spatial and temporal scales. Submitted papers must make a significant contribution to the field of study and must place the research in a broad context, so that it is of interest to the diverse, international readership of the journal. Papers that are largely descriptive in nature, of limited scope or local geographical significance, or based on limited data will not be considered for publication.

Information for prospective guest editors intending to submit a proposal for a special issue in the journal can be found here. Authors contributing to special issues should ensure that they select the appropriate special issue article type when submitting their manuscript.

SUBMISSION CHECKLIST

You can use this list to carry out a final check of your submission before you send it to the journal for review. Please check the relevant section in this Guide for Authors for more details.

Ensure that the following items are present:

One author has been designated as the corresponding author with contact details:

- E-mail address
- Full postal address

All necessary files have been uploaded:

Manuscript:

- Include keywords
- · All figures (include relevant captions after the references, within the manuscript file)
- All tables (including titles, description, footnotes)
- · Ensure all figure and table citations in the text match the files provided
- Indicate clearly if color should be used for any figures in print

Graphical Abstracts / Highlights files (where applicable)

Supplemental files (where applicable)

Further considerations

- · Manuscript has been 'spell checked' and 'grammar checked'
- All references mentioned in the Reference List are cited in the text, and vice versa
- Permission has been obtained for use of copyrighted material from other sources (including the Internet)
- A competing interests statement is provided, even if the authors have no competing interests to declare
- · Journal policies detailed in this guide have been reviewed
- Referee suggestions and contact details provided, based on journal requirements

For further information, visit our Support Center.

THE MANUSCRIPT FILE SHOULD HAVE DOUBLE SPACING, CONTINUOUS LINE NUMBERING AND WIDE MARGINS (~2.5 cm). THESE ARE ESSENTIAL DURING THE REFEREEING PROCESS.

Do not embed figures, graphics or photos in the manuscript text file. Please remove figures and tables from your manuscript text file and upload them separately AFTER THE MANUSCRIPT: one file for each figure or table.

- In the text no reference should be made to page numbers; if necessary, you may refer to section numbers.
- Full postal addresses must be given for all co-authors.

 Authors should consult a recent issue of the journal or the journal website for style if possible. The Editors reserve the right to adjust style to certain standards of uniformity.

Elsevier reserves the right of returning to the author for revision accepted manuscripts and illustrations which are not in the form given in this guide.

BEFORE YOU BEGIN

Ethics in publishing

Please see our information pages on Ethics in publishing and Ethical guidelines for journal publication.

Declaration of interest

All authors must disclose any financial and personal relationships with other people or organizations that could inappropriately influence (bias) their work. Examples of potential conflicts of interest include employment, consultancies, stock ownership, honoraria, paid expert testimony, patent applications/ registrations, and grants or other funding. Authors should complete the declaration of interest statement using this template and upload to the submission system at the Attach/Upload Files step. If there are no interests to declare, please choose: 'Declarations of interest: none' in the template. This statement will be published within the article if accepted. More information.

Submission declaration and verification

Submission of an article implies that the work described has not been published previously (except in the form of an abstract, a published lecture or academic thesis, see 'Multiple, redundant or concurrent publication' for more information), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. To verify originality, your article may be checked by the originality detection service Crossref Similarity Check.

Elsevier does not count publication of an academic thesis as prior publication. Authors whose manuscripts are based extensively upon their theses should indicate this in their Introduction and Acknowledgements sections, and also cite their thesis in the main body of the text and include it in the references list.

The editors take ethics seriously and check the CrossCheck reports for ALL incoming submissions. Any evidence of excessive overlap with previously published papers could lead to instant rejection for offending authors and the possibility of additional, more severe sanctions in the worst cases.

Preprints

Please note that preprints can be shared anywhere at any time, in line with Elsevier's sharing policy. Sharing your preprints e.g. on a preprint server will not count as prior publication (see 'Multiple, redundant or concurrent publication' for more information).

Use of inclusive language

Inclusive language acknowledges diversity, conveys respect to all people, is sensitive to differences, and promotes equal opportunities. Articles should make no assumptions about the beliefs or commitments of any reader, should contain nothing which might imply that one individual is superior to another on the grounds of race, sex, culture or any other characteristic, and should use inclusive language throughout. Authors should ensure that writing is free from bias, for instance by using 'he or she', 'his/her' instead of 'he' or 'his', and by making use of job titles that are free of stereotyping (e.g. 'chairperson' instead of 'chairman' and 'flight attendant' instead of 'stewardess').

Changes to authorship

Authors are expected to consider carefully the list and order of authors before submitting their manuscript and provide the definitive list of authors at the time of the original submission. Any addition, deletion or rearrangement of author names in the authorship list should be made only before the manuscript has been accepted and only if approved by the journal Editor. To request such a change, the Editor must receive the following from the corresponding author: (a) the reason for the change in author list and (b) written confirmation (e-mail, letter) from all authors that they agree with the addition, removal or rearrangement. In the case of addition or removal of authors, this includes confirmation from the author being added or removed.

Only in exceptional circumstances will the Editor consider the addition, deletion or rearrangement of authors **after** the manuscript has been accepted. While the Editor considers the request, publication of the manuscript will be suspended. If the manuscript has already been published in an online issue, any requests approved by the Editor will result in a corrigendum.

Copyright

Upon acceptance of an article, authors will be asked to complete a 'Journal Publishing Agreement' (see more information on this). An e-mail will be sent to the corresponding author confirming receipt of the manuscript together with a 'Journal Publishing Agreement' form or a link to the online version of this agreement.

Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution and for all other derivative works, including compilations and translations. If excerpts from other copyrighted works are included, the author(s) must obtain written permission from the copyright owners and credit the source(s) in the article. Elsevier has preprinted forms for use by authors in these cases.

For gold open access articles: Upon acceptance of an article, authors will be asked to complete an 'Exclusive License Agreement' (more information). Permitted third party reuse of gold open access articles is determined by the author's choice of user license.

Author rights

As an author you (or your employer or institution) have certain rights to reuse your work. More information.

Elsevier supports responsible sharing

Find out how you can share your research published in Elsevier journals.

Role of the funding source

You are requested to identify who provided financial support for the conduct of the research and/or preparation of the article and to briefly describe the role of the sponsor(s), if any, in study design; in the collection, analysis and interpretation of data; in the writing of the report; and in the decision to submit the article for publication. If the funding source(s) had no such involvement then this should be stated.

Open access

Please visit our Open Access page for more information.

Elsevier Researcher Academy

Researcher Academy is a free e-learning platform designed to support early and mid-career researchers throughout their research journey. The "Learn" environment at Researcher Academy offers several interactive modules, webinars, downloadable guides and resources to guide you through the process of writing for research and going through peer review. Feel free to use these free resources to improve your submission and navigate the publication process with ease.

Language (usage and editing services)

Please write your text in good English (American or British usage is accepted, but not a mixture of these). Authors who feel their English language manuscript may require editing to eliminate possible grammatical or spelling errors and to conform to correct scientific English may wish to use the English Language Editing service available from Elsevier's Author Services.

Submission

Our online submission system guides you stepwise through the process of entering your article details and uploading your files. The system converts your article files to a single PDF file used in the peer-review process. Editable files (e.g., Word, LaTeX) are required to typeset your article for final publication. All correspondence, including notification of the Editor's decision and requests for revision, is sent by e-mail.

Submit vour article

Please submit your article via http://ees.elsevier.com/sedgeo

Referees

Authors are asked to provide the names and contact details for 6 possible reviewers. These reviewers must NOT be colleagues with whom you have done research or published papers with during the last 5 years nor can they be working at your own institute. Sedimentary Geology relies on the honesty of our authors in the nomination of potential reviewers; any violation of the guidelines above could lead to instant rejection of your manuscript. Please note that the journal may not use your suggestions, but your help is appreciated and may speed up the reviewing process.

Please note that the editors may ask you to suggest more potential reviewers in cases where it has not been possible to secure sufficient reviewers from the initial round of invitations; at this point authors have the option to withdraw their paper if they prefer. In exceptional circumstances the editors regret that it may be necessary to reject papers where there have been continued problems in finding reviewers.

PREPARATION

Peer review

This journal operates a single blind review process. All contributions will be initially assessed by the editor for suitability for the journal. Papers deemed suitable are then typically sent to a minimum of two independent expert reviewers to assess the scientific quality of the paper. The Editor is responsible for the final decision regarding acceptance or rejection of articles. The Editor's decision is final. More information on types of peer review.

Use of word processing software

It is important that the file be saved in the native format of the word processor used. The text should be in single-column format. Keep the layout of the text as simple as possible. Most formatting codes will be removed and replaced on processing the article. In particular, do not use the word processor's options to justify text or to hyphenate words. However, do use bold face, italics, subscripts, superscripts etc. When preparing tables, if you are using a table grid, use only one grid for each individual table and not a grid for each row. If no grid is used, use tabs, not spaces, to align columns. The electronic text should be prepared in a way very similar to that of conventional manuscripts (see also the Guide to Publishing with Elsevier). Note that source files of figures, tables and text graphics will be required. See also the section on Electronic artwork.

To avoid unnecessary errors you are strongly advised to use the 'spell-check' and 'grammar-check' functions of your word processor.

Article structure

Subdivision - numbered sections

Divide your article into clearly defined and numbered sections. Subsections should be numbered 1.1 (then 1.1.1, 1.1.2, ...), 1.2, etc. (the abstract is not included in section numbering). Use this numbering also for internal cross-referencing: do not just refer to 'the text'. Any subsection may be given a brief heading. Each heading should appear on its own separate line.

Manuscripts should generally be organized in the following order:

- a. Title
- b. Name(s) of the author(s) and their affiliations and e-mail addresses. In the case of more than one author please indicate to whom the correspondence should be addressed.
- c. Abstract
- d. Keywords
- e. Introduction
- f. Area descriptions
- g. Methods and material studied
- h. Results and analyses
- i. Discussion
- Conclusions
- k. Acknowledgements
- I. Data Availability
- m. Appendices
- n. References
- o. Tables
- p. Figures

Introduction

State the objectives of the work and provide an adequate background, avoiding a detailed literature survey or a summary of the results.

Material and methods

Provide sufficient details to allow the work to be reproduced by an independent researcher. Methods that are already published should be summarized, and indicated by a reference. If quoting directly from a previously published method, use quotation marks and also cite the source. Any modifications to existing methods should also be described.

Results

Results should be clear and concise.

Discussion

This should explore the significance of the results of the work, not repeat them. Avoid extensive citations and discussion of published literature.

Conclusions

The main conclusions of the study may be presented in a short Conclusions section.

Data Availability

Authors are encouraged to include a 'Data Availability' section within the text of their manuscript which is visible in ALL reading formats and may refer to data hosted in ANY repository. It should be placed before the references to provide readers with information about where they can obtain the research data required to reproduce the work reported in the manuscript, and typically consists of a simple sentence giving the URL(s) of and citation(s) to the dataset(s). Full information can be found here.

Appendices

If there is more than one appendix, they should be identified as A, B, etc. Formulae and equations in appendices should be given separate numbering: Eq. (A.1), Eq. (A.2), etc.; in a subsequent appendix, Eq. (B.1) and so on. Similarly for tables and figures: Table A.1; Fig. A.1, etc.

Essential title page information

- Title. Concise and informative. Titles are often used in information-retrieval systems. Avoid abbreviations and formulae where possible.
- Author names and affiliations. Please clearly indicate the given name(s) and family name(s)
 of each author and check that all names are accurately spelled. You can add your name between
 parentheses in your own script behind the English transliteration. Present the authors' affiliation
 addresses (where the actual work was done) below the names. Indicate all affiliations with a lowercase superscript letter immediately after the author's name and in front of the appropriate address.
 Provide the full postal address of each affiliation, including the country name and, if available, the
 e-mail address of each author.
- Corresponding author. Clearly indicate who will handle correspondence at all stages of refereeing
 and publication, also post-publication. This responsibility includes answering any future queries about
 Methods and Materials. Ensure that the e-mail address is given and that contact details are
 kept up to date by the corresponding author.
- Present/permanent address. If an author has moved since the work described in the article was
 done, or was visiting at the time, a 'Present address' (or 'Permanent address') may be added. The
 address at which the author actually did the work must be retained as the main, affiliation address.

Highlights

Highlights are optional yet highly encouraged for this journal, as they increase the discoverability of your article via search engines. They consist of a short collection of bullet points that capture the novel results of your research as well as new methods that were used during the study (if any). Please have a look at the examples here: example Highlights.

Highlights should be submitted in a separate editable file in the online submission system. Please use 'Highlights' in the file name and include 3 to 5 bullet points (maximum 85 characters, including spaces, per bullet point).

Abstract

A concise and factual abstract is required. The abstract should state briefly the purpose of the research, the principal results and major conclusions. An abstract is often presented separately from the article, so it must be able to stand alone. For this reason, References should be avoided, but if essential, then cite the author(s) and year(s). Also, non-standard or uncommon abbreviations should be avoided, but if essential they must be defined at their first mention in the abstract itself.

Graphical abstract

Although a graphical abstract is optional, its use is encouraged as it draws more attention to the online article. The graphical abstract should summarize the contents of the article in a concise, pictorial form designed to capture the attention of a wide readership. Graphical abstracts should be submitted as a separate file in the online submission system. Image size: Please provide an image with a minimum of 531 × 1328 pixels (h × w) or proportionally more. The image should be readable at a size of 5 × 13 cm using a regular screen resolution of 96 dpi. Preferred file types: TIFF, EPS, or MS Office files. You can view Example Graphical Abstracts on our information site.

Authors can make use of Elsevier's Illustration Services to ensure the best presentation of their images and in accordance with all technical requirements.

Keywords

Authors must provide 4 to 6 keywords. These must be taken from the most recent American Geological Institute GeoRef Thesaurus and should be placed beneath the abstract.

Define abbreviations at their first use in the text.

Acknowledgements

Collate acknowledgements in a separate section at the end of the article before the references and do not, therefore, include them on the title page, as a footnote to the title or otherwise. List here those individuals who provided help during the research (e.g., providing language help, writing assistance or proof reading the article, etc.).

Formatting of funding sources

List funding sources in this standard way to facilitate compliance to funder's requirements:

Funding: This work was supported by the National Institutes of Health [grant numbers xxxx, yyyy]; the Bill & Melinda Gates Foundation, Seattle, WA [grant number zzzz]; and the United States Institutes of Peace [grant number aaaa].

It is not necessary to include detailed descriptions on the program or type of grants and awards. When funding is from a block grant or other resources available to a university, college, or other research institution, submit the name of the institute or organization that provided the funding.

If no funding has been provided for the research, please include the following sentence:

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Follow internationally accepted rules and conventions: use the international system of units (SI). If other units are mentioned, please give their equivalent in SI.

Nomenclature and units

Follow internationally accepted rules and conventions: use the international system of units (SI). If other quantities are mentioned, give their equivalent in SI. You are urged to consult IUGS: Nomenclature for geological time scales/rock names for further information.

Math formulae

Please submit math equations as editable text and not as images. Present simple formulae in line with normal text where possible and use the solidus (/) instead of a horizontal line for small fractional terms, e.g., X/Y. In principle, variables are to be presented in italics, Powers of e are often more conveniently denoted by exp. Number consecutively any equations that have to be displayed separately from the text (if referred to explicitly in the text).

1. All formulae should be presented consistently and clearly with regard to the meaning of each symbol and its correct location. Formulae must be typed throughout.

- 2. All unusual symbols must be collected in a separate list in the appendix, giving a clear explanation
- 3. Please try to keep the notation as simple as possible, and avoid ambiguities. Do not use special typefonts if there is no urgent need to do so.
- 4. Different formulae should be clearly separated in the manuscript, at least by punctuation marks, if not by words. Avoid breaking formulae if breaking is not strictly necessary (i.e., if the equation is less than one typed line). Never let a sentence consist of formulae alone (i.e., without any connection with the preceding text).
- 5. Do not use complicated juxtapositions of symbols. Also, try to avoid complicated subscripts and superscripts; third-order indices especially present difficulties as to their size and position, and fourthorder indices are taboo.
- 6. The manuscript must show a clear distinction between similar symbols, (e.g., between zero (0) and the letter O, between one (1) and the letter I, and between multiplication (x) and the letter x).
- 7. Important formulae (e.g. definitions) must be displayed. All formulae which are to be referred to later on must be displayed and numbered consecutively throughout the paper; the number should appear on the right-hand side of the page.
- 8. In chemical formulae the valence of ions must be given as, for example, Ca²⁺ and CO₃²⁻ rather than as Ca++ and CO3 -.
- 9. Isotope numbers should precede the symbols (e.g., 180).

Footnotes

Footnotes should be used sparingly (only if really required). Number them consecutively throughout the article. Many word processors can build footnotes into the text, and this feature may be used. Otherwise, please indicate the position of footnotes in the text and list the footnotes themselves separately at the end of the article. Do not include footnotes in the Reference list.

Artwork

Flectronic artwork

General points

- Make sure you use uniform lettering and sizing of your original artwork.
- Embed the used fonts if the application provides that option.
- · Aim to use the following fonts in your illustrations: Arial, Courier, Times New Roman, Symbol, or use fonts that look similar.
- Number the illustrations according to their sequence in the text.
- Use a logical naming convention for your artwork files.
- · Provide captions to illustrations separately (at the end of the manuscript file, after the references).
- · Size the illustrations close to the desired dimensions of the published version.
- · Submit each illustration as a separate file.
- Ensure that color images are accessible to all, including those with impaired color vision.

A detailed guide on electronic artwork is available.

You are urged to visit this site; some excerpts from the detailed information are given here.

If your electronic artwork is created in a Microsoft Office application (Word, PowerPoint, Excel) then please supply 'as is' in the native document format.

Regardless of the application used other than Microsoft Office, when your electronic artwork is finalized, please 'Save as' or convert the images to one of the following formats (note the resolution requirements for line drawings, halftones, and line/halftone combinations given below): EPS: Vector drawings, embed all used fonts.

TIFF (or JPEG): Color or grayscale photographs (halftones), keep to a minimum of 300 dpi.

TIFF (or JPEG): Bitmapped (pure black & white pixels) line drawings, keep to a minimum of 1000 dpi. TIFF (or JPEG): Combinations bitmapped line/half-tone (color or grayscale), keep to a minimum of 500 dpi.

Please do not:

- . Supply files that are optimized for screen use (e.g., GIF, BMP, PICT, WPG); these typically have a low number of pixels and limited set of colors:
- Supply files that are too low in resolution;
- Submit graphics that are disproportionately large for the content.

All illustrations must be referred to in the text. Illustrations must be designed with the page format of the journal in mind. If necessary, they will be reduced to the proper format by the publisher. The lettering and other details must have dimensions that do not become illegible or unclear after the required reduction. Foldouts can only be accepted in exceptional cases. Design all figures in a way that uses all the available space, do not leave large areas blank. Remember that sharp, neat, well presented illustrations will be essential to the readers' appreciation of your paper.

Lettering must be drafted sharply and neatly. The lettering must be in the language of the manuscript. The same type of lettering should be used throughout.

Bar scales must be used rather than magnification factors to allow for possible reduction. Do not forget to mention the units used in diagrams.

All maps must have north and latitude and longitude indicated.

Explanations must be given in the typewritten caption. Text in the figures should be kept to a minimum.

Color artwork

Please make sure that artwork files are in an acceptable format (TIFF (or JPEG), EPS, or MS Office files) and with the correct resolution. If, together with your accepted article, you submit usable color figures then Elsevier will ensure, at no additional charge, that these figures will appear in color online (e.g., ScienceDirect and other sites) regardless of whether or not these illustrations are reproduced in color in the printed version. For color reproduction in print, you will receive information regarding the costs from Elsevier after receipt of your accepted article. Please indicate your preference for color: in print or online only. Further information on the preparation of electronic artwork.

Figure captions

Ensure that each illustration has a caption. Supply captions separately, not attached to the figure. Captions must be provided in the manuscript file, after the References. A caption should comprise a brief title (not on the figure itself) and a description of the illustration. Keep text in the illustrations themselves to a minimum but explain all symbols and abbreviations used.

Tables

- Authors should take note of the limitations set by the size and layout of the journal. A table should not exceed the printed area of the page. If this appears impossible, reversing columns and rows will often make the impossible possible.
- 2. Large tables should be avoided. Foldouts can only be accepted in exceptional cases. If many data are to be presented, an attempt should be made to divide these over two or more tables.
- 3. Tables should be numbered according to their sequence in the text. The text must include references to all tables.
- 4. Each table must have a brief and self-explanatory title. Column headings should be brief, but sufficiently explanatory. Units of measurement should be given in parentheses. Vertical lines must not be used to separate columns leave extra space between the columns instead.
- 5. Explanations that are necessary to the understanding of the table should be given as footnotes at the bottom of the table. A footnote should be indicated by a lower-case letter.

References

Citation in text

Please ensure that every reference cited in the text is also present in the reference list (and vice versa). Any references cited in the abstract must be given in full. Unpublished results and personal communications are not recommended in the reference list, but may be mentioned in the text. If these references are included in the reference list they should follow the standard reference style of the journal and should include a substitution of the publication date with either 'Unpublished results' or 'Personal communication'. Citation of a reference as 'in press' implies that the item has been accepted for publication.

Web references

As a minimum, the full URL should be given and the date when the reference was last accessed. Any further information, if known (DOI, author names, dates, reference to a source publication, etc.), should also be given. Web references can be listed separately (e.g., after the reference list) under a different heading if desired, or can be included in the reference list.

Data references

This journal encourages you to cite underlying or relevant datasets in your manuscript by citing them in your text and including a data reference in your Reference List. Data references should include the following elements: author name(s), dataset title, data repository, version (where available), year, and global persistent identifier. Add [dataset] immediately before the reference so we can properly identify it as a data reference. The [dataset] identifier will not appear in your published article.

References in a special issue

Please ensure that the words 'this issue' are added to any references in the list (and any citations in the text) to other articles in the same Special Issue.

Reference style

- All references cited in the text are to be listed at the end of the paper. The manuscript should be carefully checked to ensure that the spellings of authors' names and publication years are exactly the same in the text as in the reference list. Do not type author's and editor's names in capitals.
- 2. In the text refer to the author's name (without initials) and year of publication, followed if necessary by a short reference to appropriate pages. Examples: "Because Peterson (1994) has shown that...". "This is in agreement with results obtained later (Kramer, 1996, pp. 12-16)"
- 3. If reference is made in the text to publications written by more than two authors the name of the first author should be used, followed by "et al.". This indication, however, should never be used in the list of references. In this list names of authors and all co-authors must be given in full.
- 4. References in the text should be arranged chronologically.
- 5. The list of references should be arranged alphabetically by authors' names, and chronologically per author. If an author's name in the list is also mentioned with co-authors, the following order should be used: Publications of the single author, arranged according to publication year publications of the same author with one co-author, arranged according to publication year publications of the author with more than one co-author, arranged according to publication year.

The following system should be used for arranging references:

a. Journal papers: Names and initials of all authors, year. Title of paper. Journal name given in full, volume number (no issue number), first and last page numbers of the paper. NOTE: after acceptance typesetters will abbreviate journal names in accordance the ISSN approved List of Title Word Abbreviations.

Examples:

Elbaz-Poulichet, F., Guan, D.M., Martin, J.M., 1991. Trace metal behaviour in a highly stratified Mediterranean estuary: the Krka (Yugoslavia). Marine Chemistry 32, 211-224.

Example where issue is a supplement, take particular care with page numbers:

Yuen, A.W.C., 1994. Lamotrigine: a review of antiepileptic efficacy. Epilepsia 35 (Suppl. 5), S33-S36. Example of online-only journal publishing items with an article number:

Mena, O., Palomares-Ruiz, S., Vincent, A.C., 2014. Flavor composition of the high-energy neutrino events in IceCube. Physical Review Letters 113, 091103. https://doi.org/10.1103/PhysRevLett.113.091103.

b. Monographs: Names and initials of all authors, year. Title of the monograph (nouns capitalized).
 Publisher, location of publisher.
 Example:

Zhdanov, M.S., Keller, G.V., 1994. The Geoelectrical Methods in Geophysical Exploration. Elsevier, Amsterdam.

c. Edited volume papers: Names and initials of all authors, year. Title of paper. Names and initials of the volume editors, title of the edited volume (nouns capitalized). Publisher, location of publisher, first and last page numbers of the paper.

Example:

Thomas, E., 1992. Middle Eocene-late Oligocene bathyal benthic foraminifera (Weddell Sea): faunal changes and implications for ocean circulation. In: Prothero, D.R., Berggren, W.A. (Eds.), Eocene-Oligocene Climatic and Biotic Evolution. Princeton University Press, Princeton, NJ, pp. 245-271.

Example of the above which is a conference proceedings paper:

Chaddock, T.E., 1974. Gastric emptying of a nutritionally balanced liquid diet. In: Daniel, E.E. (Ed.), Proceedings of the Fourth International Symposium on Gastrointestinal Motility. ISGM4, 4-8 September 1973, Seattle, WA. Mitchell Press, Vancouver, British Columbia, Canada, pp. 83-92.

d. Other conference proceedings papers: Names and initials of all authors, year. Title of paper. Name of conference. Publisher, location of publisher, first and last page numbers of the paper. Example:

Smith, M.W., 1988. The significance of climatic change for the permafrost environment. Final Proceedings of the International Conference on Permafrost, Tapir, Trondheim, Norway, pp. 18-23.

e. Unpublished theses, reports, etc.: Names and initials of all authors, year. Title of item (nouns capitalized). All other relevant information needed to identify the item (e.g., technical report, Ph.D. thesis, name of institute, city of institute, etc.).

Example:

Fong, C.L., 2005. New Models in Logistics Network Design and Implications for 3PL Companies (Ph.D. thesis). Nanyang Technological University, Singapore.

Abraham, E.R., Thompson, F.N., 2009. Warp Strike in New Zealand Trawl Fisheries, 2004-05 to 2006-07: New Zealand Aquatic Environment and Biodiversity Report No. 33. Ministry of Fisheries, Wellington.

f. Data references should include the following elements: author name(s), year. Dataset title. Data repository, version (where available). Global persistent identifier. Example:

Oguro, M., Imahiro, S., Saito, S., Nakashizuka, T., 2015. Mortality data for Japanese oak wilt disease and surrounding forest compositions. Mendeley Data, v1. http://dx.doi.org/10.17632/xwj98nb39r.1.

g. Web references must include the full URL and the date when the reference was last accessed. Any further information, if known (DOI, author names, dates, reference to a source publication, etc.), should also be given

Example:

Powertech Systems, 2015. Lithium-ion vs lead-acid cost analysis. http://www.powertechsystems.eu/home/tech-corner/lithium-ion-vs-lead-acid-cost-analysis/. (Accessed 6 January 2016).

5. In the case of publications in any language other than English, the original title is to be retained. Titles of publications in non-Latin alphabets should be transliterated, and a note such as '(in Russian)' or '(in Japanese, with English abstract) added at the end of the reference. Journal abbreviations source

Journal names should be abbreviated according to the List of Title Word Abbreviations.

Video

Elsevier accepts video material and animation sequences to support and enhance your scientific research. Authors who have video or animation files that they wish to submit with their article are strongly encouraged to include links to these within the body of the article. This can be done in the same way as a figure or table by referring to the video or animation content and noting in the body text where it should be placed. All submitted files should be properly labeled so that they directly relate to the video file's content. In order to ensure that your video or animation material is directly usable, please provide the file in one of our recommended file formats with a preferred maximum size of 150 MB per file, 1 GB in total. Video and animation files supplied will be published online in the electronic version of your article in Elsevier Web products, including ScienceDirect. Please supply 'stills' with your files: you can choose any frame from the video or animation or make a separate image. These will be used instead of standard icons and will personalize the link to your video data. For more detailed instructions please visit our video instruction pages. Note: since video and animation cannot be embedded in the print version of the journal, please provide text for both the electronic and the print version for the portions of the article that refer to this content.

Data visualization

Include interactive data visualizations in your publication and let your readers interact and engage more closely with your research. Follow the instructions here to find out about available data visualization options and how to include them with your article.

editorially reviewed and published in the open access data journal, *Data in Brief*. Please note an open access fee of 600 USD is payable for publication in *Data in Brief*. Full details can be found on the Data in Brief website. Please use this template to write your Data in Brief.

MethodsX

You have the option of converting relevant protocols and methods into one or multiple MethodsX articles, a new kind of article that describes the details of customized research methods. Many researchers spend a significant amount of time on developing methods to fit their specific needs or setting, but often without getting credit for this part of their work. MethodsX, an open access journal, now publishes this information in order to make it searchable, peer reviewed, citable and reproducible. Authors are encouraged to submit their MethodsX article as an additional item directly alongside the revised version of their manuscript. If your research article is accepted, your methods article will automatically be transferred over to MethodsX where it will be editorially reviewed. Please note an open access fee is payable for publication in MethodsX. Full details can be found on the MethodsX website. Please use this template to prepare your MethodsX article.

Data statement

To foster transparency, we require you to state the availability of your data in your submission if your data is unavailable to access or unsuitable to post. This may also be a requirement of your funding body or institution. You will have the opportunity to provide a data statement during the submission process. The statement will appear with your published article on ScienceDirect. For more information, visit the Data Statement page..

AFTER ACCEPTANCE

Online proof correction

To ensure a fast publication process of the article, we kindly ask authors to provide us with their proof corrections within two days. Corresponding authors will receive an e-mail with a link to our online proofing system, allowing annotation and correction of proofs online. The environment is similar to MS Word: in addition to editing text, you can also comment on figures/tables and answer questions from the Copy Editor. Web-based proofing provides a faster and less error-prone process by allowing you to directly type your corrections, eliminating the potential introduction of errors.

If preferred, you can still choose to annotate and upload your edits on the PDF version. All instructions for proofing will be given in the e-mail we send to authors, including alternative methods to the online version and PDF.

We will do everything possible to get your article published quickly and accurately. Please use this proof only for checking the typesetting, editing, completeness and correctness of the text, tables and figures. Significant changes to the article as accepted for publication will only be considered at this stage with permission from the Editor. It is important to ensure that all corrections are sent back to us in one communication. Please check carefully before replying, as inclusion of any subsequent corrections cannot be guaranteed. Proofreading is solely your responsibility.

Offnrints

12

The corresponding author will, at no cost, receive a customized Share Link providing 50 days free access to the final published version of the article on ScienceDirect. The Share Link can be used for sharing the article via any communication channel, including email and social media. For an extra charge, paper offprints can be ordered via the offprint order form which is sent once the article is accepted for publication. Both corresponding and co-authors may order offprints at any time via Elsevier's Author Services. Corresponding authors who have published their article gold open access on scienceDirect and can be shared through the article DOI link.

Additional information

Authors of accepted papers get a 30% discount on all Elsevier book publications.

AUTHOR INQUIRIES

Visit the Elsevier Support Center to find the answers you need. Here you will find everything from Frequently Asked Questions to ways to get in touch.

You can also check the status of your submitted article or find out when your accepted article will be published.

Copyright 2018 Elsevier | https://www.elsevier.com



Contents lists available at ScienceDirect

Cretaceous Research





Cretaceous rudist-bearing platform carbonates from the Lycian Nappes (SW Turkey): Rudist associations and depositional setting



Sacit Özer ^{a, *}, Talip Güngör ^a, Bilal Sarı ^a, Enis Kemal Sagular ^b, Muhittin Görmüş ^c, İzver Özkar-Öngen ^d

- a Dokuz Eylül University, Engineering Faculty, Geological Engineering Department Tinaztepe Campus, 35160, Buca, İzmir, Turkey
- ^b Süleyman Demirel University, Engineering Faculty, Department of Geological Engineering, Isparta, Turkey
- ^c Ankara University, Engineering Faculty, Department of Geological Engineering, Tandoğan, Ankara, Turkey
- d Istanbul University, Engineering Faculty, Department of Geological Engineering, Avcılar, İstanbul, Turkey

ARTICLE INFO

Article history:
Received 26 February 2017
Received in revised form
15 July 2017
Accepted in revised form 26 July 2017
Available online 27 July 2017

Keywords: Rudists Cretaceous Lycian Nappes Turkey Associations Depositional setting

ABSTRACT

Lycian Nappes (in SW Turkey) lie between the Menderes Massif and Bey Dağları carbonates and comprise thrust sheets (nappes piles) of Paleozoic-Cenozoic rocks, ophiolitic and tectonic mélanges and serpentinized peridodites. This study focuses on identification of rudists and their palaeoenvironmental features observed within the Cretaceous low grade metamorphic successions (dominated by recrystallized limestones) from the Tavas and Bodrum nappes. The study is based on fifteen stratigraphic sections measured from Tavas, Fethiye, Köyceğiz, Bodrum, Ören and Bozburun areas. The Lower Cretaceous successions with rudists are very sparse in the Lycian Nappes and a unique locality including a Berriasian epidiceratid-requieniid assemblage is reported so far. A new requieniid-radiolitid assemblage was found within the pre-Turonian (?Albian-?Cenomanian) limestones. Four different Late Cretaceous rudist assemblages were firstly identified as well: 1) Caprinid-Ichthyosarcolitid assemblage (middle-late Cenomanian); 2) Distefanellid assemblage (late Turonian); 3) Hippuritid-Radiolitid assemblage (late Coniacian-Santonian-Campanian); 4) Radiolitid-Hippuritid assemblage ('middle'-late Maastrichtian). Microfacies data and field observations indicate that the rudists lived in the inner and outer shelves of the Cretaceous carbonate platform(s) in this critical part of the Neotethys Ocean. Rudists formed isolated patchy aggregations in very shallow palaeoenvironments and deposited as shell fragments particularly on the outer shelf environment, which is characterized by higher energy and platform slope characteristics.

© 2017 Published by Elsevier Ltd.

1. Introduction

The Late Cretaceous rudist faunas are a typical constituent of the Cenomanian-Maastrichtian formations and distributed widely in various tectono-stratigraphic units of Turkey (Fig. 1A) such as the İstanbul Zone, central Anatolia, central and eastern Pontides of the Sakarya Zone, Bornova Flysch Zone, metamorphic massifs (Menderes Massif, Tavşanlı and Afyon zones), Bey Dağları Autochthon and eastern Anatolia of the Anatolide-Tauride Block and southeastern Anatolia of the northernmost part of the Arabian Platform/Plate

E-mail addresses: sacit.ozer@deu.edu.tr (S. Özer), talip.gungor@deu.edu.tr (T. Güngör), bilal.sari@deu.edu.tr (B. Sarı), eniskemal@gmail.com (E.K. Sagular), mhttngrms@gmail.com (M. Görmüş), izver@istanbul.edu.tr (İ. Özkar-Öngen).

http://dx.doi.org/10.1016/j.cretres.2017.07.016 0195-6671/© 2017 Published by Elsevier Ltd. (see Steuber, 2002 for complete list; Özer, 2002, 2010a,b; Özer et al., 2008, 2009; Sarı, 2006a,b; Sarı and Özer, 2002, 2009; Sarı et al., 2004; Steuber et al., 2009). The Early Cretaceous rudist faunas are only known from the Zonguldak-Amasra area in the western Pontides, the Karaburun Peninsula in the western Turkey and Bey Dağları in the western Taurides until now (Douvillé, 1896; Fenerci-Masse, 2006; Masse et al., 2002, 2004, 2008, 2009). Although there is much information about the stratigraphic and geographic distribution of rudists in Turkey, we have almost no data on the rudists in the Lycian Nappes, which is one of the important tectonostratigraphic units in the western Anatolia. The presence of the rudists and/or their fragments was reported from the platformtype carbonates of the Lycian Nappes (Akdeniz, 2011a,b; Bernoulli et al., 1974; Collins and Robertson, 1997, 1998, 1999, 2003; de Graciansky, 1968, 1972; de Graciansky et al., 1967; Gutnic et al., 1979; Kaaden and Metz. 1954; Konak. 2007; Konak et al., 1987;

^{*} Corresponding author.

124




Fig. 1. A-Tectonic map showing the studied area and location of the Lycian Nappes in the tectono-stratigraphic units of Turkey and surroundings (after Okay and Tüysüz, 1999). B-Map showing localities of the measured-stratigraphic sections (red squares) with rudists in the tectonic units of the Lycian Nappes (simplified from Collins and Robertson, 1998). (for interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article).

Özkaya, 1990; Poisson, 1977; Şenel, 1997a,b,c). However, none of the studies above focused on the rudists. Some rudists were described from the Cenomanian monotonous, platform-type materials in a single locality (Serinhisar, Tavas, Denizli) by Özer (1998, 1999) and Özer et al. (2001) and from the Berriasian limestone megablock in the Bodrum area by Masse et al. (2015). The platform carbonates of the Serinhisar area were attributed to the cover rocks of the Menderes Massif in studies of the 1980's and the 1990's (Collins and Robertson, 1999; Caglayan et al., 1980; Okay, 1989;

Özkaya, 1990, 1991). Later, they were included into the Lycian Nappes (Akdeniz, 2011a,b; Konak, 2007; Senel, 1997a,b,c).

This study deals with the presence of the Cenomanian-Maastrichtian and the Early Cretaceous rudist bivalves (radiolitid, hippuritid, canaliculate rudists) from the Lycian Nappes. So, the aims of this study are to present the Cretaceous rudist associations from several localities such as Tavas-Denizli, Köyceğiz, Fethiye, Bodrum, Ören and Bozburun-Muğla areas through the Lycian Nappes (Fig. 1B) and emphasize the depositional environments characteristics of rudist-bearing platform carbonates of the nappe piles.

2. Material and methods

The rudist material described and interpreted herein comes from the fifteen measured-stratigraphic sections (Figs. 1B, 2-4). The coordinates and explain better of these sections are given in Table 1.

As the rudists are mostly embedded within the pure, indurated limestones, it was impossible to collect matrix-free, loose specimens. We prepared transverse sections of rudists from the collected limestone samples to determine their internal features. The main problem in studying rudist-bearing limestones is recrystallization due to metamorphism during transportation of the nappe piles and internal tectonic movements. Fortunately, we have found stratigraphic intervals including 'preserved' rudist shells from several localities. We studied thin sections of the numerous limestone samples collected through the stratigraphic sections to describe the microfacies characteristics and microfossils as well. All the micropalaeontologic data will be presented in separate papers.

The rock samples with rudists (nos S 92 01/M, 14-108 A-I, 14-149R, 15-57 A, 15-58 A, B, C, 15-59 A, B, 15-60 A, B, 15-168 A, B, C, D) are displayed in the museum showcase of the Geological Engineering Department of Dokuz Eylul University, Izmir, Turkey. Thin sections (nos 14-27, 14-29, 14-109, 14-151 A, B, 14-209, 14-266,

14-426, 15-02, 15-13, 15-57, 15-99, 15-118, 15-167, 15-176) are deposited in the palaeontology laboratory of the same department.

3. Geological setting

Lycian Belt is located between the Menderes Massif and the Bey Dağları Autochthon in the western Turkey (Fig. 1B), Various tectonic models have been proposed for the origin of the Lycian Belt, According to the most favored tectonical concepts, the nappes originated from the north of the Menderes Massif and thrusted southward during the Late Cretaceous to Burdigalian/Langhian interval (de Graciansky, 1972; Dürr, 1975; Dürr et al., 1978; Gutnic et al., 1979; Ricou et al., 1979; Şengör and Yılmaz, 1981; Okay, 1989; Collins and Robertson, 1997, 1998, 1999, 2003; Güngör and Erdoğan, 2001: Oberhänsli et al., 2001: Rimmelé et al., 2006: Okay et al., 2012: Pourtaeu et al., 2016), But, some alternative studies considered a dual origin for the Lycian Nappes, Poisson (1985) proposed that the sedimentary thrust sheets originated from an intra-continental rift basin (the Kızıka-Corakgöl basin. which corresponds to the eastern prolongation of the Ionian Zone of Greece) between the Menderes and the Bey Dağları platforms, except the peridodite nappes drifting from the north of the Menderes Massif, Özkaya (1990, 1991) suggested that the thrust slices of the Lycian Nappes were derived from the Izmir-Ankara Zone to the north and the Alakaya Basin to the south of the Menderes Massif, Ersoy (1993a) accepted the dual origin concept of Poisson (1985). The tectonic klippe of the Lycian Nappes are very




Fig. 2. Measured-stratigraphic sections and key to the stratigraphic sections (see Fig. 1B for locations of the sections). Numbers show meters.

126




Fig. 3. Measured-stratigraphic sections (see Fig. 1B for locations of the sections and Fig. 2 for explanations). Numbers show meters.




Fig. 4. Measured-stratigraphic sections (see Fig. 1B for locations of the sections and Fig. 2 for explanations). Numbers show meters.

sparse above the Menderes Massif and only found in the Söke-Selquk area (the Diek Peninsula) to the west (Güngör and Erdoğan, 2001), around the Borlu area to the north (Rimmelé et al., 2006), and in the surroundings of Cal-Çivril area to the east (Sözbilir, 1997; Özer et al., 2001; Rimmelé et al., 2006).

In the early studies the Lycian Nappes were firstly subdivided into three main tectoric units such as: (i) the autochthonous series, (ii) the intermediate complex consisting of imbricated thrust sheets (the Karadağ, the Teke Dere, the Köyceğiz, the Haticeana Dağ and

the inlice series) and (ii) the peridotte nappe (de Graciansky et al., 1967; de Graciansky, 1968, 1972; Bernoulli et al., 1974). Later, the Lycian Nappes were separated into eight units (i.e. the Tavas, the Bozdağ, the Domuzdağ, the Yavuz and Yeleme, the Gümişlü, the Gülbahar, the ophiolitic nappe, the Kızılcadağ mélange) by Poisson (1977), four major units (i.e. the Elmalı, the Köyceğiz, the Tavas, the Tefenni units) by Özkaya (1990), eight structural units (i.e. the Beydağları Autochthon, the Marmaris Ophiolitic Nappe, the Yesilbarak the Tavas, the Bodrum, the Dumanlıdağ the Domuz Dağ,

Table 1
Table showing the locations, UTM coordinates and corresponding figures of the measured-stratigraphic sections in the Lycian Nappes.

No	Section	Location	UTM Coordinates (35S)	Fig.
1	Sarpdere	1 km north of Serinhisar town (formerly Kızılhisar)-Tavas	0700210/4163554; 0700259/4163524	2A
2	Kızılça	10 km southwest of Serinhisar town, near Kızılca village	0688930/4152406	2B
3	Balloga	25 km south of Tavas town, 1 km east of Balkica village	0687620/4133297; 0687744/4133476	2C
4	Hisarköy	64 km northeast of Fethiye, southeast of Ürmük Dağ, around Hisarköy village	0691733/4115105; 0690475/4115850	2D
5	Çal Dağ	22 km northwest of Fethiye, 6 km northwest of Arpacık (formerly Nif) village	0688880/4082227; 0691755/4081569	2E
6	Inlice	4 km east of Göcek town, north of Innice village	0677407/4070017; 0677044/4069119	3A
7	Başyaşar Tepe	18 km northeast of Köyceğiz town, 7 km west of Otmanlar village	0666170/4100742; 0666156/4100578	3B
8	Akdikmen Tepe	15 km northeast of Köyceğiz town	0659450/4097855; 0659157/4098570	3C
9	Bozburun Tepe	23 km southeast of Köyceğiz town	0646207/4070449; 0646052/4070553	3D
10	Konacik	3 km northwest of Bodrum town, northeast of Konack village	0536816/4101635; 0536731/4102034	4A
11	Antenler	3 km northeast of Bodrum town	0539343/4102445; 0539340/4102230	4A
12	Bitez	3 km southwest of Bodrum town, near Bitez	0533821/4097382; 0533808/4095944	4B
13	Gökbel	Between YukanMazıköy and Gökbel villages, 2 km northwest of Gökbel village	0567365/4099593; 0567359/4098273	4C
14	Kıyıkışlacık	5 km southwest of Kryskişlacık village	0551076/4126024; 0549298/4125720	4D
15	Selimiye	10 km northeast of Bozburun town, 6 km northeast of Selimiye village	0599527/4065148; 0599525/4065140	4E

the Gülbahar nappes) by Şenel (1997a,b,c) and three tectonostratigraphic units (i.e. the Lycian thrust sheets consisting of Yavuz, Karadağ, Teke and Köyceğiz units, the Lycian mélange and the Lycian peridodite thrust sheet) by Collins and Robertson (1997, 1998, 1999).

The rudists examined in this study come from the Köyceğiz and the İnlice Series of de Graciansky (1972), the Tavas and the Bozdağ massifs of Poisson (1977), the Köyceğiz and the Tavas units of Özkaya (1990), the Tavas and the Bodrum nappes of Şenel (1997a,b,c) and the Köyceğiz thrust sheet of Collins and Robertson (1997, 1998). The tectono-stratigraphic nomenclature (the Tavas and the Bodrum nappes) followed here is that of Şenel (1997a,b,c).

When examining previous studies, we can suggest that the Tavas and the Bodrum nappes show almost the same lithologic succession consisting of alternation of limestones and cherty limestones. However, dolomitic limestones, cherty limestones and calciturbiditic limestones are more dominant in the Bodrum nappe, which tectonically overlies the Tavas nappe. The main difference between the Tavas and the Bodrum nappes is the presence of chert brectias named as 'Sirna breccia' in the uppermost part of the Upper Cretaceous succession of the Bodrum nappe, separating the platform-type carbonates from the turbidites. The Sirna breccia does not exist in the Tavas Nappe and the coeval stratigraphic interval is represented by an unconformity.

4. Stratigraphy and comparison

The rudists are found in the slightly metamorphic limestones of the Tavas, Fethiye, Köyceğiz, Ören, Bodrum and Bozburun areas. Location of the rudist-bearing measured-stratigraphic sections are given in Fig. 1B and the sections are presented in Figs. 2—4. The rudist contents of the measured-stratigraphic sections are presented in the following chapter.

4.1. Tavas area

Mesozoic monotonous platform-type limestones, showing lowgrade metamorphism, have widespread outcrops between Tavas and Denizli (Fig. 1B). Previous studies suggest an imbricated internal structure for these carbonates (Collins and Robertson, 1999; Okay, 1989; Ozkaya, 1990; Poisson, 1977, 1985). Microfossils are Nowever, the rudist-bearing limestones due to the metamorphism. However, the rudist-bearing limestones can be found in the topmost part of the sequence, as explained below in Sarpdere (Serinhisar) section (Fig. 2A). They are the unique and important palaeontologic data for the recrystallized carbonate sequence in the area (Caglayan et al., 1980; Ozkaya, 1990; Ozer, 1998; Ozer et al., 2001; Özer and Sarı, 2008). Three stratigraphic sections with rudists were measured in this area (Fig. 2A–C); Sarpdere section belongs to Tavas nappe, Kızılca and Balkıca sections to Bodrum nappe (Akdeniz, 2011a,b; Şenel, 1997a,b,c). The details of the sections are given below;

4.1.1. Samplere section

Sarpdere is located to the north of Serinhisar town (formerly Kızılhisar) in the Tavas area (Fig. 1B) and represents an excellent outcrop of rudist-bearing limestone that allowed us to understand the stratigraphy of the carbonate sequence. Our new observations show that the uppermost part of the Babadag Formation consists of, in ascending order (Fig. 2A), (i) a 40-50-m-thick, intercalation of grey, massive dolomitic limestones and dark grey, unfossiliferous massive limestones, (ii) a 15-20-m-thick, dark grey, bituminous, thick-bedded limestones with canaliculate rudists indicating a middle-late Cenomanian age. Some radiolitids, requieniids and Chondrodonta sp. are also present (Fig. 5A-E), (iii) a 20-25-mthick, grey, unfossiliferous massive limestones, (iv) a 15-20-mthick, light grey, thick-bedded limestones characterized mainly by Distefanella, but radiolitids and hippuritids are also present (Fig. 5F-N). The rudists indicate a late Turonian age, (v) a 15-20-m thick, grey, unfossiliferous thick-bedded limestones. This succession shows low grade metamorphism effects and so the microfossils are totally masked due to the recrystallization. The depositional texture can be only observed in upper Turonian limestones. Internal structure of the rudists can be distinguished despite the recrystallization.

Rudist-bearing limestones are unconformably overlain by megabreccias consisting mainly of serpentinites and limestone clasts and also limestone blocks with middle-upper Cenomanian and upper Turonian rudists in the reddish-metaclastic matrix of the Faralya Formation (Fig. 2A). These megabreccias rest on the various stratigraphic levels of the rudist-bearing platform-type limestones and continue with intercalation of reddish, cherty and laminated micritic limestones, mudstones, conglomerates and sandstones to the top. The matrix of the Faralya Formation yields nannofossils suggesting an early Oligocene-early Miccene age (Ozer et al., 2016).

Previous studies suggested Late Cretaceous or Cenomanian and Santonian ages for the rudist-bearing limestones in this section (Caglayan et al., 1980; Okay, 1989; Özkaya, 1990; Özer, 1998; Özer et al., 2001, 2008; Akdeniz, 2011a). But, the new data obtained from the Late Cretaceous rudist fauna in the Sarpdere section indicate middle-late Cenomanian and late Turonian ages for the limestones. The Cenomanian-Turonian succession of the Sarpdere section shows dear similarity with the rudist-bearing limestones of the Bey Dağları Carbonate Platform (Özer, 1988; Sarı, 2006a; Sarı




Fig. 5. Rudists of the Sarpdere section (C—N are the outcrop photographs'): A—E-middle-upper Cenomanian rudists (A and C from Ozer, 1988), A—B-Necouprina gigantea PleniCar, the natural transverse sections of the right valve, sample nos \$59.0 (I)M and 14-1498, the ventral canal's (black arrow) is the accessory carbites (white arrow) and the external carrina (Va) can be observed. Note the ghost appearances of the accessory carbites (white arrows) in R. C-ledinposarrobles policy of Polas, the transverse section of the right valve. Note the well-developed ridges and small round or oval canals (black arrows). D-Durania sp., the right valve showing a row of large canals on inner side following one or three rows of small, round and may be sparse piriform pallial canal's (black arrow). F—N-upper Tunnian rudists, F-Distiglenella montager (Sikkovik, the transverse section of the right valves showing the oncase radial bands characteristic of the species, G-Distiglenella sollowing asterions of the right valves. Note the different shape of valve sections fround oval or subtriangulary. H-Distiglenella gandroundary is proud. C-Distiglenella procession of the right valves. Note the different shape of valve sections fround oval or subtriangulary. H-Distiglenella montage concerned in thats. I than the transverse section of the right valves, note the concave radial bands. I than the transverse section of the right valve, note the concave radial bands. I than the transverse section of the right valves.

and Özer, 2009; San et al., 2009). The succession should be compared to sequences of southern Apennines-Italy (Cestari and Laviano, 2012) and of island of Cres-Croatia (Korbar et al., 2001) due to similarities of both lithologic aspects and faunal contents and also having recrystallization.

412 Kizilen section

Kızılca village is located to the southeast of Tavas town (Fig. 1B), where the first detailed Liassic-uppermost Cretaceous stratigraphic section was presented by Poisson (1977) and Poisson and Sarp (1985), Later, Lower Liassic algal limestones (Ağadı Formation), overlying Upper Liassic-Cenomanian reddish mudstones (Babadağ Formation) and uppermost Cretaceous cherty limestones comprising limestone lenses with rudists (Yarankuyu Formation) were reported by Akdeniz (2011a) and Çakmakoğlu (1986). Kızılca section is measured in the ancient marble quarry located approximately 1 km north to the Kızılca village. The base of the approximately 15-m-thick section consists of a 3-m-thick, pinkish cherty and laminated limestones (Fig. 2B). A 0.15-0.40-m-thick chert bands are parallel to the strike of the limestones. The cherty limestones are intercalated with rudist-bearing bioclastic limestones at the lower half of the section. Upward in the section, intercalations of the grey limestones and bioclastic limestones with rudists are seen. Cherty limestones appear at the top of the section again. The rudists are the main components of the bioclastic limestones and are observed as generally shell fragments. Many right valve sections of Radiolitidae show the prismatic cellular structure of the outer shell layer and acute costae (Fig. 6A. B). The cherty limestones comprise well-preserved planktic foraminifera indicating an early Turonian age for the Yarankuyu Formation (Özer et al., 2016). Similar pelagic successions are reported from the lower Turonian of Brac Island (Sveti Duh Formation) by Davey and Jenkyns (1999) and Moro et al. (2002). However, the Sveti Duh Formation includes only calcispheres, possibly as a result of reduced water depth. Lower Turonian pelagic cherty limestones (without bioclastic limestones with rudists) are also found in the Inlice section (Fethiye area) as explained below, which may be compared with the Kızılca section.

Poisson (1977) and Poisson and Sarp (1985) suggested a Cretaceous age for the rudist fragments-bearing brecciated limestones. Aldeniz (2011a) and Çakmakoğlu (1986) inferred a latest Cretaceous age for the formation and separated rudist—bearing limestones as a rock unit. However, our data indicate that the bioclastic limestones consist of reworked rudist shell fragments within the lower Turonian 'deen water' limestone sequence.

4.1.3. Balkica section

Balkica section was measured to the southernmost of Tavas town (Fig. 1B). This section consists of platform-type carbonates (Çal Dağ Limestone), which are overlain by turbidites (Karabörtlen Formation) (Fig. 2C). The peridodites overthrust the Karabörtlen Formation. The lower boundary of the carbonate succession is not seen in the section. The succession is characterized by a 40–45-m-thick, grey, bioclastic limestones at the base. The rudists are the main components of these bioclastic limestones. Although they are mostly fragmented, some of them could be determined and may be suggested a Santonian age (Fig. 6C–F). Hermatypic corals, red

algae, gastropods and some reworked benthic foraminifers are also present (Fig. 6H). These bioclastic limestones do not include any index microfossils. The bioclastic limestones continue with a 130m-thick, unfossiliferous dark grey, massive limestones and cherty limestones, which are intercalated with chert breccias (Sirna breccia). The limestone clasts including the prismatic outer shell layer fragments of radiolitids are observed within the chert breccias (Fig. 6G). The cherty limestones yield some planktic foraminifera suggesting a middle Turonian-Santonian age (Özer et al., 2016). According to the rudist fauna and planktic foraminifera a Santonian age may be suggested for the limestone succession. The pinkish calcareous shales and mudstones intercalated with greenish-grey sandstones and siltstones of the Karabörtlen Formation rest unconformably over the cherty limestones, Nannofossil data indicate an early Miocene age for the Karabörtlen Formation (Özer et al., 2016).

Previous studies suggest a latest Cretaceous age for the limestones of the Balkıca section based on very limited palaeontologic data such as some foraminifera (Poisson, 1977; Göktaş, 1988; Akdeniz, 2011a,b). However, a Santonian age is suggested for the limestones in this study.

42 Fethiw area

Compiled stratigraphy of the Nif Mountain (Çal Dağ) and Hisarköv area to the north of the Fethive town (Fig. 1B) comprises from old to young: the Lower Jurassic dolomitic limestones, the Middle Jurassic-Cenomanian limestones and calcarenites and overlying uppermost Cretaceous-Paleocene turbidites (Colin, 1962; de Graciansky et al., 1967; de Graciansky, 1972; Akdeniz, 2011a). The Cal Dağ section first presented by de Graciansky (1972, fig. 56) was a reference section for the Cal Dag Limestone unit, which has been referenced in several studies (Akdeniz, 2011a; Bernoulli et al., 1974: Poisson, 1977: Senel, 1997a.b.c), de Graciansky (1972) reported occurrences of some planktic and benthic foraminifera in the Cretaceous limestones and also rudist debris in the Albianupper Cenomanian limestones from the Cal Dağ section. The Inlice Series (Inlice-Göcek, NW Fethive) comprise from bottom to top, unfossiliferous cherty limestones, Maastrichtian limestones with benthic foraminifera and Eocene limestones and detritic rocks with Nummulites, which was recorded by de Graciansky (1972), Poisson (1977) and Senel (1997a,b,c) as well. According to de Graciansky (1972) and Poisson (1977), Inlice Series belong to "intermediate complex" showing some stratigraphic differences from the other sections of the Lycian Nappes. The Cal Dag and Hisarköy sections belong to the Bodrum nappe (Akdeniz, 2011a,b; Şenel, 1997a,b,c).

4.2.1. Hisarköy section

This section comprises the Cal Dağ Limestone, which is overlain unconformably by the Karabörtlen Formation (Fig. 2D). The lower boundary of the carbonate succession is absent in the section. The Cal Dağ Limestone can be divided into two parts: a 40-m-thick basal part consists mainly of grey, thick-bedded bioclastic limestones with rudists. Rudists are generally observed as shell fragment and may be occur from Coniacian to Maastrichtian (Fig. 61–K). Gastropods, orals, algae and indeterminable bivalvia fragments are also present

transverse and radial sections of the right valves of Diseignetial submyinghii Parons and the transverse sections of the right valves of Durmin of gaents (Dasque) and Durmin sp. (in the left side). Note one of Durmin sections has a wide and depressed wetter at all hand (red arrow) of D₁ gents (D₂ que) is (Noving typical character of the species and the gloss of it this genus (white arrow). J-Diseignetia submyinglif Parons, the transverse section of the right valve. Note the well-developed costate. Evidentiates of prospiganteus (Foursa) that transverse section of the right valve, I-Figurities Cascialis Douvillé, the transverse section of the right valve, the dispital is smarked. M-Vacinities of, rought and the proposition of the right valve, the submying the proposition of the right valve, the submying the proposition of the right valve (Note distinct closely spaced radial ribs. Scale bars are equal to 10 mm. (For interretation of the references to colour in this figure (speed, the reader is referred to the version of this article.)





Fig. 6. Outcrop photographs of rudist sections from several stratigraphic sections, A—B-rudists of the Kuzhca section, lower Turonian: A-a transverse section of the right valve (black arrow) of radiolitid fragment, B-the general view of the bioclastic limestone showing transverse sections of the right valves fragments of undeterminable radiolitids (arrows), D-the sections of indeterminable radiolitids (black arrows) within the bioclastic limestones, B-some sections probably belong to tubular rudiosit (black arrows). Two concave structures (thick black arrows) may be belong to pollusor of hipport of the sections (arrows). Two concave structures (thick black arrows) may be belong to pollusor of hipport of the sections (arrows) may be compared with Bournonia all, hourenist Pejović. G-a limestone clast including the prismatic outer shell layer fragments of radiolitids (black arrow) within the cheer threecises (b). H-bermatypic cortals, Balkota section, I—K-rudists of the His arkity section, upper Coniacian-Santonian-Campanian, I-small tubular (indeterminate) radiolitid sections (thin black arrows) and a radiolitid fragment (thick black arrows). Showing the cellular structure, J-the general view of the bioclastic limestone consisting of indeterminable right valve transverse sections of Radiolitids (thin black arrows). K-the right valve transverse section of indeterminable radiolitids. The radiolitids (arrows), Scate bars indicate 10 mm. Scate bars indicate 10 in the section (b) in the characteristic of the sections (b) in the characteristic of the sections (a) may be compared with Bournonia witorzedi Pejović Legastropod sections (Taketonillid). His radiolitid fact 10 mm.

(Fig. 6L). Microfossils are not seen in the rudist-bearing limestones. A 50-m-thick upper part of the succession is characterized by thick-bedded, grey, cherty limestones. A 5-m-thick Sima breccia consists of angular chert fragments and is observed at the uppermost part of the section. The planktic foraminifera suggesting a late Coniacian-Santonian age were described from the cherty limestones (Özer et al., 2016). So, the late Coniacian-Santonian age can be suggested for the Çal Dağ Limestone. The Karabörtlen Formation consists of mudstones, sandstones, thin calcareous shale lens and limestone blocks. Nannofossil assemblages in fine-grained rocks indicate a late Maastrichtian-early Danian age (Özer et al., 2016).

Akdeniz (2011a) named limestones with rudist fragments as Ürmükdağı Limestone and reported that age of the formation is Berriasian-Cenomanian according to the stratigraphic relations. However, our data show that the lower part of the section comprises bioclastic limestones with some determinable rudists and the upper part includes cherty limestone with planktic foraminifera showing a late Coniacian-Santonian age.

4.2.2. Cal Dağ section

The Çal Dağ section comprises a 180-m-thick pelagic limestone succession (Fig. 2E). A 95-m-thick middle and upper parts of the



142




Fig. 13. Schematic carbonate platform model showing depositional settings of rudists and distribution of the rudist associations. A-caprinid-ichthyosarcolitid, B-distefanellid, G-hippurtid-radiolitid-bippurid-radiolitid-bippurid-and E-epidiceratid-requientid and radiolitid-requientid assemblages. Not to scale.

packstone (Fig. 11D, E). Occurence of highly diversified rudist fauna, lithologic and microfacies characteristics of the succession indicate that the limestones were deposited under moderate to sometimes high hydrodynamic conditions in an outer patform environment.

The upper Turonian neritic recrystallized limestones comprise small patches of Distefanella, Durania and Bournonia and their fragments in the Akdikmen Tepe section, Rudist composition suggests an outer platform setting with moderate to high-energy conditions. The grainstone/packstone depositional texture shows collapse of the internal part of the rudist valve sections filled with totally calcite cement and intense recrystallization affected the outer shell layer of the valve and masked the microfossils (Fig. 11F). Presence of chert breccias and coral fragments at the upper part of the succession may indicate development of a gently dipping carbonate ramp depositional settings. Existence of rare planktonic foraminifera in a calcareous mudstone interbed and overlying turbidites indicates development of pelagic conditions in depositional environment. The rudist-bearing Turonian limestones with rudists are mostly deposited in outer platform, shelf margin and ramp settings in the circum Mediterranean Tethys, but inner platform records are also present (Moro, 1997; Moro et al., 2002; Bauer et al., 2002, 2003; Bachmann et al., 2003; Abdelgawad et al., 2011; Hennhöfer et al., 2014). Cestari (2005) indicates that the species of Distefanella are found in the outer platform of a shelf margin settings, Cestari and Pons (2007, 2008) suggest that the genus Distefanella lived in moderate to high-energy conditions. They also noted that the genus specifically lived in the shelf margin environments with a high sediment accumulation rate, which may be adapted for the Sarpdere and Akdikmen Tepe limestones with Distefanella

The rudist-bearing upper Coniacian-Santonian-Campanian massive and biodastic limestones are widely observed in the lycian Nappes when compared with those of Cenomanian and Turonian. Some rudist sections observed in the massive marbles of the Knykrşlack section may suggest a shallow-marine conditions. The marbles do not yield information for microfacies characteristics as the Cenomanian-Turonian strata.

The bioclastic limestones are also observed in the Balkıca, Hisarköy and Bayaşar Tepe stratigraphic sections. They are grey, light grey, thick bedded with small rudist patches and/or accumulations of radiolitids and hippuritids, which are associated with hermatypic corals and gastropods. Depositional texture is mainly represented by packstone/floatstone/grainstone and locally grainstone, which comprise mainly rudist fragments. Besides, benthic foraminifera, red algae and sponge are also observed. The oriented rudist fragments commonly have micritic envelopes (Figs. 11G. H. 12A). These features suggest an outer platform settings for the rudist-bearing limestones. Increasing of the amount of transported rudist debris (i.e. floatstone and grainstone textures) especially in the uppermost part of sequence indicates development of the high energy marginal slope conditions in the depositional environment. The grading upward of these biodastic limestones to the pelagic, cherty thin bedded, laminated limestones with chert breccias confirms the slope environment. Existence of rudist debris and neritic limestone clasts within the cherty limestones indicates an intense transportation from outer platform through the slope. The facies characteristics of the succession suggest a moderate to high energy shallow-marine environment for the initial stages and a deeper-water setting for the later stages of the Conjacian-Campanian interval. Several studies have reported similar Conjacian-Santonian-Campanian rudist-bearing limestones reflecting an outer platform settings with marginal slope influenced by the pelagic conditions (Carbone, 1993; Carannante et al., 1998: Laviano et al., 1998b: Moro and Cósović, 2000: Stössel and Bernoulli, 2000: Moro et al., 2002, 2016: Simone et al., 2003: Steuber et al., 2005; Sarı, 2006b; Sarı and Özer, 2009; Cestari and Laviano, 2012).

The Maastrichtian rudist-bearing limestones present two types of facies; (i) bioclastic limestones and (ii) calciturbiditic (allodapic) limestones. The first facies is observed in the Inlice section, which is mainly characterized by biodastic limestones overlying the uppermost Cenomanian-Santonian pelagic cherty limestones. The basal part of the biodastic limestones consists of packstone/rudstone depositional textures with abundant benthic foraminifera and rudist debris showing intense fragmentation, micritization and bioerosional features (Fig. 12B), Coral and red algae debris accompany the rudists and benthic foraminifera. Planktic foraminifera are generally rare throughout the section, but abundantly present at some levels. Several limestone breccia levels are observed within the succession and rudist debris are abundantly presented in the upper part of the succession. These levels are represented by rudstone/grainstone/packstone depositional textures with abundant rudist debris showing intense fragmentation, micritization, bioerosional features, Sparry (equant) calcite cement and fine-grained carbonate sediments entirely or partially filled the cellular outer shell layer of radiolitid fragments (Fig. 12C). These data reflect margin of an outer platform environment. Here, the bioclastic limestones were deposited under high to moderate energy

conditions. Sometimes, pelagic incursions occurred probably in that gently slope settings, where transported rudist debris abundantly deposited. The second facies is detected in the Bozburun section, which is characterized by cherty limestones, calciturbiditic (allodapic) limestones with rich planktic foraminifera, and some benthic foraminifera, Rudists are observed in the limestones without cherts and they are commonly fragmented due to mechanical compaction, but determinable rudist sections were found towards the upper part of the section. These rudist fragments could have been derived from small patches of rudist aggregations from adjacent environments. The rudstone/packstone/grainstone depositional textures with abundant rudist debris showing micritization, bioerosional features and sparry (equant) calcite cement entirely filled the cellular outer shell layer of radiolitid, are described (Fig. 12D-F). The bioclastic limestones of Konacık and Gökbel sections consist of packstone/floatstone depositional textures with abundant rudist debris showing intense fragmentation and micritization (Fig. 12G-H). These data indicate outer platform, slope depositional settings. The Maastrichtian facies and depositional environment features of the limestones with rudists of our study are comparable with those of Mediterranean Tethys (mostly central) presented by Accordi et al. (1982, 1988, 1989), Carbone (1993), Gallemi et al. (1997), Laviano (1996) and Steuber et al. (2005, 2007),

The facies and depositional features of the rudist-bearing limestones of the Lycian Nappes show that the rudists lived and formed associations in the inner and outer shelfs of the carbonate platforms (Fig. 13).

7. Condusions

The Cretaceous rudist associations and the depositional settings are first described from the low grade metamorphic successions (dominated by recrystallized limestones) of Lycian Nappes. The rudist data was obtained from fifteen measured-stratigraphic sections in Tavas, Fethiye, Köyceğiz, Ören, Bodrum and Bozburun areas.

The Lower Cretaceous with rudists is very sparse in the Iycian Nappes and a epidiceratid-requieniid assemblage (Berriasian) is only reported from the Bitez limestone block in the Bodrum Peninsula (Masse et al., 2015). It has a low density and consists of Heterodiceras Iuci (Defrance), Heterodiceras \$1, Heterodiceras' \$1, Patherodiceras' \$1, Patherodiceras' \$2, Patherodiceras' \$2, Patherodiceras' \$3, Patherodiceras' \$4, Pat

The Upper Cretaceous sequences have widespread distribution in the Lycian Nappes than the Lower Cretaceous. Four main rudist assemblages are distinguished within the Upper Cretaceous sequences of the Lycian Nappes:

- 1) Caprinid-Ichthyosarcolitid assemblage (middle-late Cenomanian; Sarpdere, Serinhisar-Tavas and Çal Dağ-Fethiye) comprises Neocaprina gigantea Pleničar, Caprina schiosensis Boehm, Schiosia d. schiosensis Boehm, Sphaerucaprina d. woodwardi Gemmellaro, Ichthyosarcolites bicarinatus (Gemmellaro), I. triangularis Desmarest, I. monocarinatus Slišković, I. poljaki Polšak, Caprinula aff. boësyyi d'Orbigny, Eorudiolites sp., Durunia sp. and reculentiis (Apricardia sp.).
- Distefanellid assemblage (late Turonian; Sarpdere, Serinhisar-Tavas and Akdikmen Tepe-Köyceğiz) is represented by Distefanella salmojrughii Parona, D. montagnei Slišković, Hippurites

- d. socialis Douvillé, Vaccinites d. praegiganteus (Toucas), V. cf. rousseli Douvillé, Durania arnaudi (Choffat), Durania cf. gaensis Dacqué, Durania sp. (Durania aff. laevis Douvillé), Bournonia africana Douvillé and Sauvagesia/Durania sp.
- 3) Hippuritid-Radiolitid assemblage (late Coniacian-Santonian-Campanian; Balkıca-Tavas, Hisarköy-Fethiye, Başyaşar Tepe-köyceğiz, Gökbel and Kıyıkışlacık-Oren-Ula, Konacık and Antenler-Bodrum) consists of Hippurites cf. nabresinensis Futerere, Hippuritella aff. Isperiousei (Goldfuss). Vaccinites sp., Hippurites sp., Bournonia aff. hværensis Pejović, Bournonia aff. kviontzekt Pejović, Binudiolites sp. (Binudiolites aff. fissicostatus d'Orbigny), Biradiolites sp., Sauvagesia sp. and Durunia sp.
- 4) Radiolitid-Hippuritid assemblage ('middle'-late Maastrichtian; inlice-Fethiye and Bozburun Tepe-Köyceğiz) comprises Bournonia afi, adriatica Pejovic, Bournonia cf. fascialaris (Pirona), Bournonia sp., Biradiolites sp. (Biradiolites aff. chaperi Toucas), Lapeirousia sp., Durunia sp., Sauvagesia sp. and Hippurites cornucopiae Defrance.

This study reveals for the first time that the rudists, which were regarded as shell fragments in previous studies comprise assemblages indicating different ages in the Lycian Nappes. The biostratigraphic data obtained from rudists provide valuable contribution to better understand the Upper Cretaceous stratigraphy of the Lycian nappe piles.

The rudists and the mirorfacies characteristics of the limestones provide information on the depositional environments of the Cretaceous successions. The data obtained reveal that the limestones were deposited in the inner and outer shelves of the Cretaceous carbonate platform(s). Rudists formed small isolated patches and aggregations in these environments and commonly deposited as shell fragments particularly on the outer shelf in response to increasing energy and platform slope characteristics.

Acknowledgements

This study was financially supported by the Scientific and Technological Research Council of Turkey (TÜBITAK project code: 113Y144). Authors would like to thank Peter W. Skelton (Open University, Milton-Keynes) and anonymus reviewer for their constructive comments of an earlier version of the manuscript that helped to improve the quality of the study. We are grateful to Editor in Chef of the Journal, Eduardo Koutsoukos for his careful corrections and comments on the text. We also thank to Andre Poisson during the field studies around Fethiye. Thin sections were prepared by Mehmet Erdem (Torbali Vocational School, Dokuz Eylül University, Izmir). Our students Ilhan Arca and Sinan Ünal partly participated the field studies. All the helps are greatfully thanked.

References

Abdelgawad, G.J., Saber, S.G., El Shazly, S.H., Salama, Y.F., 2011. Turonian Rudist Facies from Abu Roash area, North Western Desert, Egypt. Journal of African Earth Sciences 59, 359—372.

Acordi, G., Carbone, E., Sima, G., 1982. Relationships among tectonic setting, substratum and benthonic communities in the Upper Cretaceous of northeastern Matese (Molies, Italy). Geologica Romana 21, 755—793.

Matese (Molise, Italy). Geologica Romana 21, 755–793.

Accordi, G., Carbone, F., Sirna, G., Catalano, G., Reali, S., 1988. Sedimentary events and rudist assemblages of Maiella Mt. (central Italy): Paleobiogeographic im-

Accordi, G., Carbone, F., Sima, G., 1989, Some affinities between the lonian Islands and the Apulian Upper Cretaceous rudist facies. In: Battista Carulli, G. (Ed.). Evolution of the Karstic carbonate platform: Relation with other periadriatic carbonate platforms, 40. Memorie della Società geologica italiana,

plications. Geologica Romana 26, 135-147.

pp. 163–173.
Akdeniz, N., 2011a. Denizli-N 22 paftası, MTA Jeoloji Etüdleri Dairesi, No: 164, 44 s.
Akdeniz, N., 2011b. Denizli-N 21 paftası, MTA Jeoloji Etüdleri Dairesi, No: 163, 41 s.

- Douvillé, H., 1893. Etudes sur les rudistes. Révision des principales espèces d'*Hip-purites* (troisième partie). Mémoires de la Société géologique de France, Paléontologie 6 (3), 57–94.
- Douvilé, H., 1894. Etudes sur les rudistes. Révision des principales espèces d'*Hip-purites* (quatrième partie). Mémoires de la Société géologique de France, Paléontologie 6 (4), 95–138.
- Douvillé, H., 1896. Sur la constitution géologique des environs d'Heraclée (Asie Mineure), 122. Comptes Rendus de l'Académie des Sciences, Paris, pp. 678–680.
- Douvilé, H., 1897. Etudes sur les rudistes. Distribution régionale des *Hippurites*. Mémoires de la Société géologique de France, Paléontologie 6 (6), 187–230.
- Douvilé, H., 1910. Etudes sur les rudistes. Rudistes de Sicile, d'Algérie, d'Egypte, du Liban et de la Perse. Mémoires de la Société géologique de France 41, 83 pp.
- Dürr, S., 1975. Über Alter und geotektonische Stellung des Menderes-Kristallins/ SW-Anatolien und seine Aequivalente in der mittleren Aegaeis (Unpubl. Phd Thesis). Univ. Marburg/Lahn, Germany, 106 pp.
- Dürr, S., Altherr, J., Keller, M., Okrush, M., Seidel, E., 1978. The median Aegean Cristalline Belt. Stratigraphy, structure, metamorphism, magmatism. In: Closs, H., Roeder, D., Schmidt, K. (Eds.), Alps, Apennines, Hellenides: Inter-Union Commission on Geodynamics; Scientific Report, no. 38. Schweizerbart, Stuttgart, pp. 455–478.
- Ercan, T., Günay, E., Türkecan, A., 1982. Bodrum yarımadasının jeolojisi. Maden Tetkik ve Arama Enstitüsü Dergisi 97/98, 21—32.
- Ercan, T., Günay, E., Türkecan, A., 1984. Bodrum yarımadasındaki magmatik kayaçların petrolojisi ve kökensel yorumu. Türkiye Jeoloji Kurumu Bülteni 27, 85–98.
- Ersoy, Ş., 1989. Fethiye (Muğla)-Gölhisar (Burdur) arasında Güney Dağı ile Kelebekli Dağ ve dolaylarının jeolojisi (Yayınlanmaınış Doktora tezi). İstanbul Üniversitesi Fen Bilimleri Enstitüsü, 246 s.
- Ersoy, Ş., 1993a. The geological setting of the tectonic units situated on the SW Anatolia (Turkey) and their geodynamic development. In: Papanikolaou, D. (Ed.), 6th Congress of the Geological Society of Greece with emphasis on the Aegean, May 25–27, 1992, Athens, 28. Bulletin of the Geological Society of Greece, pp. 617–628.





Bilimsel Etik Üzerine...

SDUGEO e-dergi

Muhittin Görmüş S. Demirel Üniversitesi, Müh.-Mim. Fk., Jeoloji Mühendisliği Bölümü muhittingormus@sdu.edu.tr

Özellikle üniversitelerimizde yaşanan bilimsellik dışı davranışlar, gerek öğrencilerimizi, gerekse de öğretim elemanlarımızı etkilemektedir. Bilimsel objektifliği yakalamak için konan ilkeler ve kavramlar halen tartışılmaktadır. Bu yazıda etik konularının önemlileri üzerinde durulmuş, farklı yönleri ele alınmış ve öneriler getirilmiştir. Belirtilen bilimsel etik konularının özellikle gelecek nesillerimiz olacak öğrencilerimiz ve genç öğretim elemanlarımız tarafından dikkate alınacağı düşünülür. Genel olarak lisansüstü eğitim ve akademik çalışmalarda dikkate alınan bilimsel etik kurallarının ve bilimsel araştırma temel ilkelerinin, lisans ve öncesinde de dikkate alınması, yaptırımların ise objektif bulgulara göre yapılması önerilir.

Giriş

Coğumuz bilimsel etik kurallarını önemsemeye calısır, fakat bazen hatalar yaparız sonucunu düşünmeden... Yapılan hataların telafisi zor olur çoğu kez... Kendini ön plana çıkarmak, başkalarını önemsememek, bir kariyer elde etmek, bilimselliğin sunum ilkelerini bilmemek, bilgi ve deneyim eksikliği, özensizlik, ihmal, kasıt gibi bircok neden, bu hataların belli baslıcalarıdır. Bilimsel etik üzerine yazılmış değerlendirmelerde, etik kavramının 1980'li yıllardan sonra daha çok önemsendiği, 1991 yılındaki TUBİTAK tarafından düzenlenen "vavın etiği" sempozyumunun ise önemli bir aşama olduğu belirtilmiştir (Ruacan, 2009). Aynı inceleme makalesinde 2005, 2006, 2007 ve 2008 doçentlik başvuru değerlendirmelerinde, ortalama 3000 başvurudan ortalama 100 civarında dosyanın bilimsel etik acısından ele alındığı ve ortalama 30 civarında adaya yaptırım uygulandığı, haksız yazarlık ve alıntı yapma hatalarının daha çok olduğu ortaya konmustur.

2000'li yıllardan sonra çıkarılan Doçentlik sınav yönetmelikleri, 2005 yılında yayınlanan "etiğe aykırı davranışlar" yönergeleri üniversiteler tarafından dikkate alınmış, bu konularda birçok etik kurulları oluşturularak bilimsel etik konuları tartışılmış, konu üzerinde klavuz ve bröşürler hazırlanarak sunumlar gerçekleştirilmiştir (http://www.anadolu.edu.tr/arastirma/bilim_etigi_klavuzu.aspx;

http://sablon.sdu.edu.tr/idari/etikkurul).

Tüm bunlara rağmen, günümüzde dahi gerçekleştirilen makaleler, sunumlar, web düzenlemeleri vb. ayrıntılı incelendiğinde alıntı hataları, haksız yazarlık gibi konuların dikkate alınmadığı görülmektedir. Özellikle lisansüstü calışmalar ile doktora sonrası araştırmalarda bilimsel etik konularının ele alındığı, lisans ve öncesindeki eğitim-öğretim kapsamında ise bilimsel temel ilkelerin ve eteğin çok az oranda anlatıldığı anlaşılmaktadır. Fakat bu konular, vasamımızın her safhasında öğrenilmeli ve öğretilmelidir. Bu nedenlerdendir ki bilimsel etik kurallarını bilmek, yapılan yanlışlıkların sonrasında nelerle karsılasabileceğimizi öğrenmek, özellikle de öğrendlerimize ve genc öğretim elemanlarımıza bilimin bu temel ilkelerini hatırlatmak zorundayız...

Her bir etik kuralının üzerinde eksileri ve artıları ile tartışma gerekliliği ortaya çıkmaktadır. Çünkü doçentlik başvurularında birçok çelişkili ifadelerle doçentlik başvuruları subjektif bir davranışa yönlenmektedir. Söyle ki makalelerin doktora ilgili olup olmaması (a), SCI ve Türkçe yayınların oranları (b), tek bir konuda uzmanlaşıp, uzmanlaşmama (c), tek yazarlı ya da çok yazarlı çalışmak (d), bir makalenin bütün ya da kısmi olarak yayınlanıp yayınlanmaması (e), impakt faktörü (f), ulusal ve uluslararası sempozyum, kongre vb. aktivitelere katılım oranları (g) gibi konular, hakemlerin ön yargılı ve yanlı olması durumunda adayı zor durumda bırakmaktadır. Benzer eleştiriler diğer kariyerler icin de gecerli olabilmektedir.



Keza, yayınlarda yapılan etik hataları bazen göz ardı edilmekte, bazen de en ince ayrıntısında gizlenen konulara saptırılabilmektedir.

Yukarıda değinilen nedenlerden dolayı, yazının amacı, etik ihlalleri üzerinde tartışmak ve objektifliği yakalamak için ne yapılması gerekliliğini önermektir.

Kavramlar

Bilim, bilinen yöntemler ya da yeni geliştirilen yöntemlerle bilinmeyenlerin keşfi ya da icadı olarak tanımlanabilir. Etik, eski Yunancadaki Ethos (Karakter-Terbiye) kelimesinden kaynaklanmış bir terim olup, her türlü eylemde iyiyi, doğruyu ve gerçeği düşünmeye, uygulamaya ve kullanmaya ait kuram ve kurallardır

(http://sablon.sdu.edu.tr/idari/etikkurul). Bir başka tanım ise doğru ve yanlış davranışlara ilişkin kavramlar geliştiren, bu kavramları savunan ve bunların kullanımını öneren felsefe dalı olarak verilmiştir

(www.utm.etm.edu/research/iep/e/ethics.htm). Etik ve ahlak terimlerinin birbirinden farklı kavramlar olduğu; etik kavramının ahlak felsefesini, ahlak kavramının ise etiğin araştırma konusunu içerdiği belirtilmiştir

(http://sabion.sdu.edu.tr/idari/etikkurul). Bilimsel etik, bilimsel aktarımlarda kullanılan kurallardır. Ayrıntıda ise bilimsel etik, bir çalışma faaliyetinde bulunan insanların ahlak ilkelerini, davranış biçimlerini, görevlerini ve zorunluluklarını belirleyen kurallar zinciridir (http://sablon.sdu.edu.tr/idari/etikkurul).

Kuralların işleyişinde yönetmelik ve yönergeler benimsenmiş olup, değişik kurum ve kuruluşlardaki işleyişlere göre yönetmelikler ortaya konmuştur.

Bilimsel Etik Dışı Davranışlar

Yalnızca başlıkları verilen bu davranışların bilmemezlik, ihmal, kasıt ve çıkar nedenlerine göre irdelenmesi aşağıdaki gibidir. Aşırma (İntihal)-Alıntı: Bir başkasına ait

göre irdeenmesi aşagdaki gibdir. Aşırma (İntihal)-Alıntı: Bir başkasına ait bilginin, verinin kısmen ya da tamamen kendisininmiş gibi kullanmanın çoğu kez kasıt ve çıkara dayandığı görülür. Çünkü bir bilimcinin bilmemezlik ve ihmal gibi bir nedenle aşırma yapması beklenemez. Bazen küçük cümle alıntıları, birkaç fotoğraf kullanımı sehven mümkün gözükebilir. Fakat, bunların dahi anlaşıldığında hemen düzeltilmeye gidilmesi gerekmektedir. Kişi kendisinin yazdığı önceki bilgileri dahi yeniymiş gibi sunamaz. Kasıtla yapılan aşırmaların ise bilimsel bir hırsızlık olduğu düşünülmelidir. Bu nedenle kasıtlı aşırma ile bilmeden yada ihmalden kaynaklanan küçük alıntıların cezaları farklı olmalıdır.

Sahtecilik (Uydurma): Bulunmayan, elde edilmeyen verilerin uydurularak sunulması bilimsel bir yalancılığı ortaya koymaktadır. Yine burada ihmalden daha çok, kasıt ve çıkar ilişkisinin ön plana çıktığı görülür. Verileri tahrif, bulguları uydurma cezasının da yine ağır olması beklenir. Bazı ufak uydurmalar ile metnin tamamının uydurulması, ya da tahrifat yaparak uydurma miktarları farklı değerlendirilebilir. Carpıtma: Verilerin, yöntemlerin ve sonudanın

Çarpıtma: Verilerin, yöntemlerin ve sonudarın çarpıtılması yine kasıt gerektiren bir durumdur. Sahtedliğin bir başka görünümü olarak düşünülebilir. Burada yine çarpıtma oranına göre cezalar verilebilir.

Duplikasyon: Özellikle araştırma sonuçlarının birden fazla bilimsel dergide referans verilmeden tekrarı, ilk kez yayınlanıyormuş gibi verilmesi bilimsellik dışı bir davranıştır. Bununla beraber, Türkçe yayınlanmış bilimsel bir makalenin kısmen, tamamen ya da değiştirlerek bir başka yabancı dilde yaklaşık eş zamanlı tarihlerde yayınlanması emek harcanarak ve bu kuralın bilinmeden yapılması durumunda bir uyarı cezasını gerektirdiği düşünülür. Şöyle ki bilimsel olarak farklı bir dilde yayınlanmasında yarar görülmüş ve yayın kuruluşundan izin alınma gerekliliği bilinmemiş olabilir. Değerlendirmede yayınlardan birinin puan değeri dikkate alınabilir. Fakat, bilimsel etik ile ilgili YÖK ve üniversite yönetmeliklerinin yayınlanmasından sonra gelişen böyle bir davranışa yine ağır bir ceza gerekliliği ortadadır. Çünkü bilim insanlarının tabi olacakları yönetmelikleri iyi bilmesi gerekmektedir. Dilimleme: Bazı dergilerdeki sayfa sınırlandırmaları, bilimsel hırsızlığın önüne geçmek ya da emeğin bir an evvel ortaya konulması gibi durumlarda makalelerin fazla olması beklenebilir. Bu nedenle tartışmalı olabilecek bu konuda dilimleme olayının gerçeği

yansıtıp yansıtmnadığı ile ilgili olarak adaydan

görüş sorulmalı,



hakemin ya da yazarın bu konuda art niyetli olup olmadığı ortaya konmalıdır. Sonuçta yayın sayısını artırmak amacı güdülüp, güdülmediği yayınlardaki emek, sunum ve görüşler ile değerlendirilmelidir.

Haksız yazarlık: Makalede emeği olmayan birisinin yazar olarak belirtilmesi çıkar ilişkilerine dayanmaktadır. İlgili bazı yönetmeliklerde yazarlık hakkının, çalışmanın tasarımı; veri toplanması, analizi veya değerlendirilmesi ile yazımında katkı vermiş olması ile ilişkilendirmesi gerekliliği; sadece yazım aşamasında katkıda bulunmanın yazarlık hakkı doğurmadığı belirtilmiştir. Bu nedenle, makalede bulunan her emeğin dikkate alınması, belki yazım aşamasında görüş, öneri ve emeklerinin ne olduğunun katkı belirtme bölümünde verilmesi gerekmektedir. Keza, yazar sıralaması değiştirmek, emeği olduğu halde kişiyi yazmamak çıkar ve kasıt taşımaktadır. Çok rastlanılan böyle bir etik dışı davranışı değerlendirmede haksızlık yapma olasılığı görünmektedir. Bunu önlemek için, makalelerdeki katkı oranları ve katkılarının ana hatları istenebilir.

Lisansüstü çalışmalardan üretilen yayınlarda öğrencinin veya danışmanının ismini yazmamak: Şüphesiz ki lisansüstü çalışmalar yetenek ve emek isteyen araştırma ya da çalışmalardır. Bu çalışmaların danışman ve öğrencinin birlikte çalışması gerekliliği ortada iken kişisel çatışmaları ile isim yazılmaması tabiki uygun gözükmemektedir. Bununla beraber, danışmanının ismini koymada eğer danışman tarafından isminin konulmaması istenmiş ise bu konunun dikkate alınması gerekmektedir. Ayrıca emek agsından kimin emeği daha çok ise ona göre yazar sıralamasının yapılması daha uygundur. Saygı emeğin önüne geçmemelidir. Destek veren kişi, kurum veya kuruluşlar ile onların araştırmadaki katkılarını açık bir biçimde belirtmemek: Son yıllarda özellikle maddi destekler değişik kurum ve kuruluşlarca yapılmakta olup, maddi desteği veren kişi, kurum ve kuruluşun belirtilmeden makale yazılmasının çıkar ve kasıt içerebileceği düşünülebilir. İhmale ya da kasıta dayanan bir belirtmemenin hangisinin olduğunun anlaşılabilmesi için görüş alınmalıdır.

İnsan ve hayvanlar üzerinde yapılan araştırmalarda etik kurallara uymamak: Anket çalışmaları ya da hayvanlarla ilgili araştırmalarda etik kurallarına uymama cezasını değerlendiren kurul görüşlerinin önemsenmesi gerekliliği düşünülür.

Yayınlarında hasta haklarına saygı göstermemek: Özellikle tıp alanındaki bu çalışmaların yine etik kurullarınca değerlendirildiği düşünülür.

Doçentlik başvurusunda jüri üyelerini yanıltıcı, yanlış ya da eksik beyanda bulunmak: Çıkar doğrultusunda yapılan bu hataların delillere dayandırılması gereklidir. Jüri üyeliğini kötü amaçlı kullanmak: Maalesef ülkemizde çıkar ve siyaset ön plana çıkmakta ve bilimsellik dışı bu davranışlarla da karşılaşılmaktadır.

Yaptırımlarda Objektiflik

Bilimsel etik dışı davranışlara ait yaptırımlar aşağıdaki çizelgede sunulmuştur. Bununla birlikte yaptırımlarda objektifliğin yakalanması için bilimsel hata nedenlerin çok iyi irdelenmesi (1), yaptırımlar hakkında bilgilendirmelerin yapılması (2), genel olarak lisansüstü çalışmalarda ve akademik araştırmalarda dikkate alınan bilimsel etiğin lisans ve öncesine de yaygınlaştırılması (3) gerekliliği ortaya çıkmaktadır. Kendini ön plana çıkarmak ve başkalarını önemsemeyen araştırıcıların etik dışı davranışları, editörlük, hakemlik ve jüri üyeliğindeki davranışları da irdelenmelidir. Sınavlardaki sözlü değerlendirmelerde adayların yaptıkları eğitimöğretim ve araştırma faaliyetleri dışındaki sorqulama art niye dayanmaktadır. Ayrıca, bilimselliğin sunum ilkelerini bilmemek, bilgi ve deneyim eksikliği, özensizlik, ihmal gibi durumların, bilimsel ilkeleri bilerek kasıtlı davranma ile aynı değerlendirilmeyeceği düşünülür. Bilimsel ihmal, şüphesiz kabul edilemez bir davranıştır. Çünkü araştırıcının böyle bir durumda kasıtlı olarak değil, bilgi, beceri ya da deneyim yetersizliğinden dolayı yanlış bilgi sunduğu dolayısıyla, yalnızca başkalarını bilimsel olarak yanıltmakla kalmadığı, kendi kendini de kandırmış olduğu belirtilmiştir (http://www.anadolu.edu.tr/arastirma/bilim etigi klavuzu.aspx). Özellikle kasıt taşıyan davranışların delillere dayandırılması gerekmektedir: Örneğin çarpıtmalar, tahribat gibi hatalar... Alıntılamalardaki hata oranı (kisi kendinden yaptığı alıntılamaları dahi ihmal etmemeli, bir fotoğrafın dahi izinle kullanılmasına

özen göstermelidir), haksız yazarlık, duplikasyon

yine objektiflik igin delillendirmelerine gidilmelidir.

ve dilimleme gibi diğer etik dışı davranışlarda



Çizelge 1. Üniversitelera rası Kurul tanımlamasında yer alan etiğe karşı davranışlar ve yatırımları (http://sablon.sdu.edu.tr/idari/etikkurul)

(http://sabion.	sau.eau.triaa					
ETİĞE AYKIRI DAVRANIŞL	AR	YAPTIRIMLARI DOÇENTLİK SIN YÖNETMELİĞİ (11.md)	AV	DİŞİPLİN Y	ÖNETMELİĞİ	FİKİR VESANAT ESERLERİ KANUNU [‡]
ASIRMAK - İNTİHAL - Başk asının verilerin i-çalı şınasır kı sının-tamamın almak veya sun - Başk asının hipoter aşamasındak aşırarak kendine mal etmek - Yabancı di ikin terdime yaptıklı yazmış gibi basınak	mak ci fikirlerini	Bir dah a Doçen tlik Sınav ma baş vuraman	ma		ers ite öğretim çı kamıa cezası	S846 s. FSEK 71-1 ve 3: Îki yıldan döt yıla kadar hapis ve 50-150 bin yll para cezası (cylemin ağırlığına göre her ikisine hükmo hunab ilir)
SAHFECLLIK - Sumulan belgeyi genjege nyian i da belgeyi dejiştirmek veyalat şi belgeyi bilerek kulla mak - Araştırma ya dayanmayan verile raporlamak, yayın lamak - Yapılmamış bir araştırmayı-çalı göstermek	erçeğe aykırı r üretmek,	Bir dah a doçentlik smavın a baş varamar	ma	9-c: Kademe durdurulması	ilerlemesinin cezası	
CARPITMA - Araştırma kayıtları-verilerini tal - Araştırma dı olmayan yöntem-ci mateyalleri kullanmış göntem-ci mateyalleri kullanmış göntem-ci - Araştırma hi potezine uyunayan vi değerlendirmeye almamak - İlgil teori - varaşı uma uydurmak sonuçlarda oynuma yaşmak	ihaz- : verileri	1-3 yıl arası doçenti i sınavlarına girme ya		8-i ve 8-n: A	ylıktan kesme cezası	
DUPLİKASYON -Araştırma sonuçlarını birden faz yayın lamak	la yerde	O yıl yapılan doçenti başvurusunun reddi	lik	5-e: Uyamna cezası; kasıtlı olması halinde 8-d: Aylıktan kesme cezası		
DÎLÎMLEME - Araştırma sonuçlarını bütünlüği şeki ide parçalara ayınp yayınlam		O yıl yapılan doçenti başvurusunun reddi	lik	5-e: Uyama	00.7.051	
HAKSIZ Y AZARLIK - Çalışmaya aktifikatkısı olmayar arasında göstermek - Aktifikatkısı olanları yazarlar ar göstermemek	nları yaza dar	1-3 yıl arası doçentli sınavlarına girme ya		En hafifi 5-h: kasıtlı olması	uyarma cezası; halinde 9-f; kademe	
- Yazar sımlamasını değişti mek		O yıl yapılan doçentlik En hafifi 5-e ve 5-h; uyamna ozzas; kasıtı olma sı halinde 8-d; aylıktan kesme ozzas				
DİĞER ETİK İHLA LLERİ - Makul ölçüleri aşan alıntılamala		1-3 yıl arası doçentli sınavlarına girme ya	sağı	En hafifi 5-e: olması halind oezası	uyarma cezası; kasıtlı e84: aylıktan kesme	
 Lis ansüstü ç alışmalarda öğrenci danış manın isminin olmaması 		başvurusunun reddi	aylıktan kesme cezas		halinde 8-d ve 8-i: ie cezas	
 Araştırma ya destek olanların ça belirtilmemesi 		O yıl yapılan doçenti başvurusunun reddi	mun reddi ka sith olması halinde 8-d ve 8- nylıktan k esme cezası		halinde 8-d ve 8-i: ie cezas	
 İnsan-hay van lar üzerindeki çalı: uymama 		1-3 yıl arası doçentlik 84: Ay sınavlarına girme yasağı		84: Ayhktan		
- Hasta haklarına saygı göstermeden bi igileri yayınlama		1-3 yıl arası doçentli sınavlarına girme ya	sağı	84: Aylıktan kesme cezası; idarecilik görevi olanlar için 7-b: yönetim görevinden ayırma cezası		
 Doçentlik başvurularında jüriyi yeksik beyanda bulunma 	yanı itan yanlış-	O yıl yapılan doçenti başvurusunun reddi				
Üniversibelerarası kurul tanımlamasında yer almayan başlıca etiğe aykın davranışlar	Hakemiğini köriye i Kongre katlım sahin Çalışmadaki diğer ya fotokopi ile tek isimi Farklı yayınlardan pa değişikliklerle önet yı	cikji oz kinierbi dkrek i maksie olujturnak iragrafar sip kismi aznak	Bir daha baş vuran 1-3 yıl ar sınavları	nam docentik na girme ywajp nam docentik na girme ywajp docentik s mavina mana nam docentik na girme ywajp docentik s mavina	9-c: k ademe i kriemesinin dardarulman came 8-d vaya 8-c aylitin kome came 11-a/2: lahven te ölyetim medelyinden çikarına cama: Enh affi 5-c: u yarına cene; kantı olman balın de 8-i aylıtına kome cenes 11-a/2: lahven te ölyetim	
	Yök kriterlerini ayna			hayvuramama 11-a/3; tintversite öğretin hayvuramama mesləğinden çıkarma vəya		

CARDY OR SEVERI SET I SACRET			
	1-3 yıl arası doçentik	9-c: kademe ikrlemesinin	
Hakemiğini kötüye kullanmak	ensvianna girme ywagi	durduralman ceram	
		8-d veya 8-r: aylıktan kenne	
Kongre katim sahteritği	nnavlanna girme yarağı	CERE	
Çalışmadaki diğer yazar isimlerini elkrek		11-a/3: ûniversite öğretim	
fotokopi ile tek isimi maksie oluşturmak	bayvuramema	mesleğinden çıkarma ozzası	
Parki: yayınlardan paragraflar sirp kusmi	1-3 yıl arası doçentik anaylarına girme yarağı	En hafifi 5-e: u yarma cema; kauth olman halinde 8-l:	
değişikliklerle özet yazmak		aylıktan kesme ceme:	
		11-a/3: ûniversite öğretim	
Yök kriterlerini aşmak için para karşdığı makale yazılırmak veya yayınlatmak	hajvuramama	mesisjinden çıkarma veya eylemin duru muna göre gerdiine	
yaaramaa veya yaymamaa.		11-b 6: kamı göreyinden	
		cikama	
		Ç-sanını.	

¹ Yükseköğretim Kurumları Yönetici, Öğretim Elemanı ve Memurları Disiplin Yönetmeliği'nin 12.maddesinde; "Yukarıda sayılan ve disiplin cezası verilmesini gerektiren fiil ve hallere nitelik ve ağırlıkları itibariyle benzer eylemlerde bulunanlara da aynı türden disiplin cezaları verilir" denilmektedir.
² 5846 sayılı Fikir ve Sanat Eserleri Kanunu'nun 5.8ölümünde (66 ve devamı maddeler) öngörülmüş olan Hukuk Davaları (örneğin; 66.md. Tecavüzün Ref'i veya Men'ı, Tazminat Davaları vb) ile diğer hukuksal taleplere değinilmemiştir.



Sonuç

Yukanda değinilen etik konularının lisans ve lisansüstü öğrencilerimiz ile genç bilimciler tarafından dikkate alınacağı umulur. Daha açık ifadelerle bilimsel hırsızlığın, yalancılığın, sahtekarlığın, korsancılığın ve ihmalin önüne geçilmelidir. Belirtilen etik dışı kuralların ve bilimsel temel ilkelerin lisans öncesi eğitim öğretimde de verilmesi ve bilimsel etik kuralları ile ilgili bilgilendirmelerin tekrarlarıarak sunulması gereklidir. Ayrıca, akademik kariyer değerlendirmelerinde objektifliğin yakalanmasında etik ihlallerinin delillendirilmesi elzemdir. Objektiflikte, ülke benliğimizin korunması açısından minumum şartlara ana dilimizde hakemli dergilerde yayınlanmış doktora dışında en az iki makale (a), doktoradan en az çıkarılan bir makale (b) şartlarının eklenmesi dilimizde kaliteli yayınların üretebilmesi ve doktorada gerçekleştirilen emeğin ile kazanılan yeteneğinin anlaşılabilmesi ile için gerekli olduğu düşünülür.

Gerçekleştirilen emeçin ile kazanılan yeteneğinin anlaşılabilmesi ile için gerekli olduğu düşünülür. 10

ARASTIRIALARDA

BILLIMESİ GEREKRI

Kaynakları

Ruacan, Ş. 2009. Türkiye'de bir etik serüveni: Doçentlik sınavı etik komisyonu. Sağlık Bilimlerinde süreli yayıncılık. Türk Tıp

Dizini. 41-44-20

http://www.anadolu.edu.tr/arastirma/billim_etigi_klavuzu.aspx

http://www.anadolu.edu.tr/arastirma/billim_etigi_klavuzu.aspx

http://sablon.sdu.edu.tr/idari/etikkurul

www.utm.etm.edu/research/iep/e/ethics.htm

ABA BEIR KANDETT

