MTH 102 Calculus -II

Dr. Gizem SEYHAN ÖZTEPE Topic-11-Functions of Several Variables



The volume V of a circular cylinder depends on its radius r and its height h. In fact, we know that $V = \pi r^2 h$. We say that V is a function of r and h, and we write $V(r,h) = \pi r^2 h$.

Definition

A function f of two variables is a rule that assigns to each ordered pair of real numbers (x, y) in a set D a unique real number denoted by f(x, y). The set D is the domain of f and its range is the set of values that f takes on, that is, $\{f(x, y): (x, y) \in D\}$.

We often write z = f(x, y). So, x and y are independent variables; z is a dependent variable.





Figure 1 shows the domain and range of two variable functions.

FIGURE 1




- The set of points in the plane where a function f(x, y) has a constant value f(x, y) = c is called a **level curve** of f.
- The set of all points (x, y, f(x, y)) in space is called the **graph** of f. The graph of f is also called the surface z = f(x, y).





This figure shows the graph of a surface




You can see the graph of several functions as follows:









(d)
$$f(x, y) = \frac{\sin x \sin y}{xy}$$

Limits and Continuity

Definition (Limit) Let f be a function of two variables whose domain D includes points arbitrarily close to (a,b). Then we say that the limit of f(x,y) as (x,y) approaches (a,b) is L and we write

$$\lim_{(x,y)\to(a,b)} f(x,y) = L$$

if for every number $\varepsilon > 0$ there is a corresponding number $\delta > 0$ such that if $(x,y) \in D$ and $0 < \sqrt{(x-a)^2 + (y-b)^2} < \delta$ then $|f(x,y) - L| < \varepsilon$


If $f(x, y) \to L_1$ as $(x, y) \to (a, b)$ along a path C_1 and $f(x, y) \to L_2$ as $(x, y) \to (a, b)$ along a path C_2 , where $L_1 \neq L_2$, then $\lim_{(x, y) \to (a, b)} f(x, y)$ does not exist.

Definition (Continuity):

A function f of two variables is called continuous at (a, b) if

$$\lim_{(x,y)\to(a,b)} f(x,y) = f(a,b)$$

We say f is continuous on D if f is continuous at every point (a, b) in D.



Graph of a continuous function

Graph of a discontinuous function