



IR/diabetes/CV dysfunction: An overview

Prof.Dr.Nuray Ari, 2018




the whole-body glucose homeostasis. *Molecules* **2018**, *23*(2), 258;
 doi:[10.3390/molecules23020258](https://doi.org/10.3390/molecules23020258) Sayem et al.



Dysfunctional adipose tissue.


Early central obesity is associated with a low-grade chronic inflammatory state characterized by slow infiltration of macrophages which are an important source of inflammation of this adipose tissue [World J Diabetes. 2016 Nov 15;7\(19\):483-514](#). **Nutrition, insulin resistance and dysfunctional adipose tissue determine the different components of metabolic syndrome.** [Paniagua JA](#)




Dysbalanced situation with metabolic and vascular inflexibility

Selective vascular insulin resistance: Endothelial cell

[Visc Med.](#) 2016 32(5):319-326. Epub 2016 Oct 7. **Metabolic Vascular Syndrome: New Insights into a Multidimensional Network of Risk Factors and Diseases.** [Scholz GH](#) and [Hanefeld M.](#)



Molecular mechanisms in cardiac insulin resistance via overnutrition and impaired insulin signaling leading to repetitive intermittent lack of energy in the early stage of cardiac dysfunction that is DD [Curr Heart Fail Rep.](#) 2016 Oct;13(5):219-229. **Cardiometabolic Syndrome and Increased Risk of Heart Failure.** [von Bibra H et al.](#)




Differences in energy metabolism in the aerobic and insulin-resistant heart.

[Ann Nutr Metab.](#) 2016;68 Suppl 3:15-20. Epub 2016 Dec 9.

Fatty Acid Oxidation and Its Relation with Insulin Resistance and Associated Disorders.


[Lopaschuk GD](#)¹.



Schematic overview of the role of microRNAs in endothelial cells in hyperglycemia.


[Biomed Res Int. 2017;2017:4080364. doi: 10.1155/2017/4080364.](https://doi.org/10.1155/2017/4080364) Epub 2017 Feb

12. **MicroRNAs and Cardiovascular Disease in Diabetes Mellitus.** [Ding Y](#)



Schematic overview of the role of microRNAs in vascular smooth muscle cell in hyperglycemia or diabetes. [Biomed Res Int.](#) 2017;2017:4080364. doi: 10.1155/2017/4080364. Epub 2017 Feb 12.


MicroRNAs and Cardiovascular Disease in Diabetes Mellitus. [Ding Y](#)




MicroRNAs involved in lipid metabolism.

[Biomed Res Int.](https://doi.org/10.1155/2017/4080364) 2017;2017:4080364. doi: 10.1155/2017/4080364. Epub 2017 Feb 12.


MicroRNAs and Cardiovascular Disease in Diabetes Mellitus. [Ding Y](#)



Non-coding RNAs associated with both type 2 DM and cardiovascular disease (CVD). MicroRNAs (miRNAs) and long non-coding RNAs (lncRNAs) are grouped according to their main biological mechanism involved in atherosclerotic CVD. Arrows indicate overexpression (↑) or underexpression (↓). Front. Endocrinol., 2018 Jan 17;9:2. doi: 10.3389/fendo.2018.00002. eCollection 2018. De Rosa S.



Schematic diagram representing the signaling pathway for β AR-mediated cardiac insulin resistance. [Biomol Ther \(Seoul\)](#). 2017 Jan 1;25(1):44-56. doi: 10.4062/biomolther.2016.128. β -Adrenergic Receptor and Insulin Resistance in the Heart. [Mangmool S](#)



The distinct role for insulin resistance and insulin actions in the kidney

[Cardiorenal Med.](#) 2017 Dec;8(1):41-49. doi: 10.1159/000479801. Epub 2017 Sep 30.

Insulin Resistance in Kidney Disease: Is There a Distinct Role Separate from That of Diabetes or Obesity? [Whaley-Connell A](#), [Sowers JR](#)