

Radiation


The term radiation applies to the emission and propagation of energy through space or a material.




General Characteristics of EMR


- no mass or physical form
- travel at speed of light (c) in a vacuum (or air)
 - $c = 3 \times 10^8 \, \text{m/s}$
- travel in a linear path (until interaction occurs)
- unaffected by










| Region | Wavelength (m) | Frequency (Hz) |
|------------------|--|--|
| Electricity | 5 x 10 ⁵ | 60 Hz |
| Long Wave, TV | 10 ⁵ to 10 ² | < 3 x 10 ⁹ |
| Short Wave Radio | 10 ² to 0.1 | 10 ⁸ to 3 x 10 ⁹ |
| Microwave | 0.1 to 10 ⁻³ | 3 x 10 ⁹ to 3 x 10 ¹² |
| Infrared | 10 ⁻³ to 7 x 10 ⁻⁷ | 3 x 10 ¹² to 4.3 x 10 ¹⁴ |
| Visible | 7 x 10 ⁻⁷ to 4 x 10 ⁻⁷ | 4.3 x 10 ¹⁴ to 7.5 x 10 ¹⁴ |
| Ultraviolet | 4 x 10 ⁻⁷ to 10 ⁻⁹ | 7.5 x 10 ¹⁴ to 3 x 10 ¹⁷ |
| X-Rays | 10 ⁻⁹ to 10 ⁻¹¹ | 3 x 10 ¹⁷ to 3 x 10 ¹⁹ |
| Gamma Rays | 10 ⁻¹¹ to 10 ⁻¹⁵ | 3 x 10 ¹⁹ to 10 ²⁰ |
| Cosmic Rays | 10 ⁻¹⁵ to 10 ⁻²⁰ | 10 ²⁰ to 10 ²² |







Electromagnetic Waves Interaction with Matter



Photon-beam Interactions

| Process | Definition | |
|--------------|---|--|
| Attenuation | Removal of radiation from the beam by the matter. Attenuation may occur due to scattering and absorption | |
| Absorption | The taking up of the energy from the beam by the irradiated material. It is absorbed energy, which is important in producing the radiobiological effects in material or soft tissues. | |
| Scattering | refers to a change in the direction of the photons and its contributes to both attenuation and absorption | |
| Transmission | Any photon, which does not suffer the above processes is transmitted. | |