KM 331 PROSES BENZETİM PROGRAMLARI DERS NOTLARI [1-4]

Kaynaklar

- 1. Chemcad User Guide and Tutorial, Chemstations, Inc. Version 6.1.
- 2. Aspen Technology, Inc., Apsen HYSYS ® Version 7.
- 3. ChemCad Eğitim Notları, Chemstations, Inc-Houston, TX, USA.
- 4. A Guide for Getting Started in Aspen HYSYS
 Dinu Ajikutira, Sr. Director, Engineering Product Marketing, Aspen Technology, Inc.

Aspen HYSYS Pompa Tasarımı

The Pump operation is used to increase the pressure of an inlet liquid stream. Depending on the information specified, the Pump calculates either an unknown pressure, temperature or pump efficiency.

Learning Outcomes: At the end of this chapter, the user will be able to:

- Operate a pump operation in HYSYS to model the pumping process
- Connect streams to unit operations
- Determine the pump efficiency and outlet temperature

Prerequisites: Before beginning this chapter, the users need to know how to:

- Start HYSYS
- Select components
- Define and select a fluid package
- Add and specify material streams

Problem Statement

Pumps are used to move liquids. The pump increases the pressure of the liquid. Water at 120°C and 3 bar is fed into a pump that has only 10% efficiency. The flowrate of the water is 100 kgmole/h and its outlet pressure from the pump is 84 bar. Using Peng-Robinson equation of state as a fluid package, determine the outlet temperature of the water.

Building the Simulation

The first step in building any simulation is defining the fluid package. A brief review on how to define a fluid package and install streams is described below. For a complete description, see Chapter 1: Starting with HYSYS.

Accessing HYSYS

To start HYSYS:

- 1. Click on the Start menu.
- 2. Select Programs | AspenTech | Aspen Engineering Suite | Aspen HYSYS 2004.1 | Aspen HYSYS 2004.1.

Open a new case by using one of the following:

- 1. Go to the **File** menu, select **New**, followed by **Case**, or
- 2. Press Ctrl N, or
- 3. Click the **New** icon on the toolbar.

Defining the Simulation Basis

1. Enter the following values in the specified fluid package view:

On this page	Select
Property Package	Peng-Robinson
Components	H_2O

2. Click the **Enter Simulation Environment** button when you are ready to start building the simulation.

Installing a Stream

There are several ways to create stream:

- Press F11. The Stream property view appears, or
- Double-click the Stream icon in the Object Palette.

Defining Necessary Streams

Add a stream with the following values.

In this cell	Enter
Name	Feed
Composition	$H_2O - 100\%$
Molar Flow	100 kgmole/h
Temperature	120°C
Pressure	3 bar


Add a second stream with the following properties.

In this cell	Enter
Name	Outlet
Pressure	84 bar


Adding Unit Operations


1. There are a variety of ways to add unit operations in HYSYS:

To use the	Do this
Menu Bar	From the Flowsheet menu, select Add
	Operation or Press F12.
	The UnitOps view appears.
Workbook	Open the Workbook and go to the UnitOps
	page, then click the Add UnitOp button.
	The UnitOps view appears.
Object Palette	From the Flowsheet menu, select Open object
	Palette, or press F4. Double-click the icon of the
	operation you want to add.
PFD/Object Palette	Using the right mouse button, drag 'n' drop the
	icon from the Object Palette to the PFD.



Connecting Pump with streams






Specifying the Pump Efficiency

Default efficiency for the pump is 75%. To change the efficiency, do the following:

- Click on the **Design** tab of the pump window.
- 2. Then click on **Parameters**.
- In the Adiabatic Efficiency box on the parameters page, enter 10. The units should be in per cent as shown in Figure 3-5.



After the efficiency is entered the streams of the pumps should be solved. Click on the **Worksheet** tab to view the results as shown

