

ELE 321

Linear System Analysis

Ankara University

Faculty of Engineering

Electrical and Electronics Engineering Department

Unit Impulse and Unit Step Functions

ELE321 Linear System Analysis

Lecture 5

Agenda

- General discrete-time complex exponential signals
- Unit impulse function
- Unit step function
- Sampling property of unit impulse function

General Discrete-Time Complex Exponential Signals



Let $C = |C|e^{j\theta}$ and $\alpha = |\alpha|e^{j\omega_0}$ then,

$$C\alpha^n = |C||\alpha|^n \cos(\omega_0 n + \theta) + j|C||\alpha|^n \sin(\omega_0 n + \theta)$$

For $|\alpha| = 1$, the real and imaginary parts of a complex sequence are sinusoidal.

For $|\alpha| < 1$, they correspond to sinusoidal sequences multiplied by a decaying exponential.

For $|\alpha| > 1$, they correspond to sinusoidal sequences multiplied by a growing exponential.



Periodicity Properties of Discrete-Time Complex Exponentials

Consider the discrete-time complex exponential with frequency $\omega_o + 2\pi$:

$$e^{j(\omega_o+2\pi)n} = e^{j2\pi n} e^{j\omega_o n} = e^{j\omega_o n}$$

So the exponential at frequency $\omega_o + 2\pi$ is the same as that at frequency ω_o . This is very different situation from the continuous-time case, in which signals $e^{j\omega_o t}$ are all distinct for distinct values of ω_o . However, in discrete-time case, these signals are not distinct. Signal with frequency ω_o is identical to the signals with frequencies $\omega_o \pm 2\pi, \omega_o \pm 4\pi, \omega_o \pm 6\pi, \dots$

Fundamental frequency of the periodic signal $e^{j\omega_0 n}$ is

$$\frac{2\pi}{N} = \frac{\omega_0}{m}$$

Fundamental frequency is

$$N = m \frac{2\pi}{\omega_0}$$

Discrete-Time Unit Impulse (Unit Sample)

$$\delta[n] = \begin{cases} 0, & n \neq 0 \\ 1, & n = 0 \end{cases}$$

Discrete-Time Unit Step

$$u[n] = \begin{cases} 0, & n < 0 \\ 1, & n \geq 0 \end{cases}$$

Discrete-Time Unit Step – Unit Impulse Relationship

$$\delta[n] = u[n] - u[n - 1]$$

$$u[n] = \sum_{m=-\infty}^n \delta[m]$$

Also

$$u[n] = \sum_{k=-\infty}^0 \delta[n - k]$$

or

$$u[n] = \sum_{k=0}^{\infty} \delta[n - k]$$

Sampling Property of Discrete-Time Unit Impulse

$$x[n]\delta[n] = x[0]\delta[n]$$

Generally, at $n = n_o$

$$x[n]\delta[n - n_o] = x[n_o]\delta[n - n_o]$$

Continuous-Time Unit Impulse

$$\delta(t) = \begin{cases} 0, & t \neq 0 \\ 1, & t = 0 \end{cases}$$

Continuous-Time Unit Step

$$u(t) = \begin{cases} 0, & t < 0 \\ 1, & t \geq 0 \end{cases}$$

Continuous-Time Unit Step – Unit Impulse Relationship

$$u(t) = \int_{-\infty}^t \delta(\tau) d\tau$$

and

$$\delta(t) = \frac{du(t)}{dt}$$

Sampling Property of Continuous-Time Unit Impulse

$$x(t)\delta(t) = x(0)\delta(t)$$

In general, at $t = t_o$

$$x(t)\delta(t - t_o) = x(t_o)\delta(t - t_o)$$

References

- Signals and Systems, 2nd Edition, Oppenheim, Willsky, Nawab