

Regio pelvis

- ❑ **Pelvic cavity :**
- ❑ **The space bounded by the coxae, sacrum and first two caudal vertebrae.**
- ❑ **Apertura pelvis cranialis – Apertura pelvis caudalis**
- ❑ **The last part of the digestive tract, genital organs and the urinary organs are located in this small cavity**

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition

Regio pelvis

- ❑ In clinics :
- ❑ Intramuscular injections

Gluteal and hamstring muscles

- ❑ Epidural anesthesia
- ❑ Rectal palpation
- ❑ Artificial insemination
- ❑ Urinary catheterization
- ❑ Parturition